



**Program Directory for  
IBM DB2 Buffer Pool Analyzer on z/OS**

V5.2.0

Program Number 5655-W35

for Use with  
z/OS

Document Date: February 2014

GI19-5010-01

**Note**

Before using this information and the product it supports, be sure to read the general information under 7.0, "Notices" on page 30.

---

# Contents

<b>1.0 Introduction</b>	1
1.1 DB2 Buffer Pool Analyzer on z/OS Description	2
1.2 DB2 Buffer Pool Analyzer on z/OS FMIDs	2
<b>2.0 Program Materials</b>	3
2.1 Basic Machine-Readable Material	3
2.2 Optional Machine-Readable Material	3
2.3 Program Publications	3
2.4 Program Source Materials	4
2.5 Publications Useful During Installation	4
<b>3.0 Program Support</b>	5
3.1 Program Services	5
3.2 Preventive Service Planning	5
3.3 Statement of Support Procedures	6
<b>4.0 Program and Service Level Information</b>	7
4.1 Program Level Information	7
4.2 Service Level Information	7
<b>5.0 Installation Requirements and Considerations</b>	8
5.1 Driving System Requirements	8
5.1.1 Machine Requirements	8
5.1.2 Programming Requirements	9
5.2 Target System Requirements	9
5.2.1 Machine Requirements	9
5.2.2 Programming Requirements	9
5.2.2.1 Installation Requisites	9
5.2.2.2 Operational Requisites	10
5.2.2.3 Toleration/Coexistence Requisites	10
5.2.2.4 Incompatibility (Negative) Requisites	11
5.2.3 DASD Storage Requirements	11
5.2.4 DASD Storage Requirements by FMID	16
5.3 FMIDs Deleted	20
5.4 Special Considerations	20
<b>6.0 Installation Instructions</b>	21
6.1 Installing DB2 Buffer Pool Analyzer on z/OS	21
6.1.1 SMP/E Considerations for Installing DB2 Buffer Pool Analyzer on z/OS	21
6.1.2 SMP/E Options Subentry Values	21
6.1.3 SMP/E CALLLIBS Processing	22
6.1.4 Sample Jobs	22

6.1.5 Create New SMP/E Support Files - Optional	23
6.1.6 Create New SMP/E CSI - Optional	24
6.1.7 Allocate SMP/E Target and Distribution Libraries	24
6.1.8 Create DDDEF Entries	24
6.1.9 Perform SMP/E RECEIVE	24
6.1.10 Perform SMP/E APPLY	25
6.1.11 Perform SMP/E ACCEPT	28
6.2 Activating DB2 Buffer Pool Analyzer on z/OS	29
<b>7.0 Notices</b>	<b>30</b>
7.1 Trademarks	31
<b>Contacting IBM Software Support</b>	<b>32</b>

---

## Figures

1. Basic Material: Unlicensed Publications	3
2. Publications Useful During Installation	4
3. PSP Upgrade and Subset ID	5
4. Component IDs	6
5. Driving System Software Requirements	9
6. Target System Mandatory Installation Requisites	9
7. Target System Mandatory Operational Requisites	10
8. Target System Negative Requisites	11
9. Total DASD Space Required by DB2 Buffer Pool Analyzer on z/OS	11
10. Storage Requirements for SMP/E Work Data Sets	13
11. Storage Requirements for SMP/E Data Sets	13
12. Storage Requirements for DB2 Buffer Pool Analyzer on z/OS Target Libraries	14
13. Storage Requirements for DB2 Buffer Pool Analyzer on z/OS Distribution Libraries	15
14. Storage Requirements for HKDB52Z Libraries	16
15. Storage Requirements for HKDB520 Libraries	16
16. Storage Requirements for HKOB700 Libraries	18
17. SMP/E Options Subentry Values	21
18. Sample Installation Jobs	22
19. SMP/E Elements Not Selected	27

---

## 1.0 Introduction

This program directory is intended for system programmers who are responsible for program installation and maintenance. It contains information about the material and procedures associated with the installation of IBM DB2 Buffer Pool Analyzer on z/OS. This publication refers to IBM DB2 Buffer Pool Analyzer on z/OS as DB2 Buffer Pool Analyzer on z/OS.

The Program Directory contains the following sections:

- 2.0, “Program Materials” on page 3 identifies the basic program materials and documentation for DB2 Buffer Pool Analyzer on z/OS.
- 3.0, “Program Support” on page 5 describes the IBM support available for DB2 Buffer Pool Analyzer on z/OS.
- 4.0, “Program and Service Level Information” on page 7 lists the APARs (program level) and PTFs (service level) that have been incorporated into DB2 Buffer Pool Analyzer on z/OS.
- 5.0, “Installation Requirements and Considerations” on page 8 identifies the resources and considerations that are required for installing and using DB2 Buffer Pool Analyzer on z/OS.
- 6.0, “Installation Instructions” on page 21 provides detailed installation instructions for DB2 Buffer Pool Analyzer on z/OS. It also describes the procedures for activating the functions of DB2 Buffer Pool Analyzer on z/OS, or refers to appropriate publications.

Before installing DB2 Buffer Pool Analyzer on z/OS, read the *CBPDO Memo To Users* and the *CBPDO Memo To Users Extension* that are supplied with this program in softcopy format and this Program Directory; then keep them for future reference. Section 3.2, “Preventive Service Planning” on page 5 tells you how to find any updates to the information and procedures in this Program Directory.

DB2 Buffer Pool Analyzer on z/OS is supplied in a Custom-Built Product Delivery Offering (CBPDO, 5751-CS3). The Program Directory that is provided in softcopy format on the CBPDO tape is identical to the hardcopy format if one was included with your order. All service and HOLDDATA for DB2 Buffer Pool Analyzer on z/OS are included on the CBPDO tape.

Do not use this program directory if you install DB2 Buffer Pool Analyzer on z/OS with a SystemPac or ServerPac. When you use one of those offerings, use the jobs and documentation supplied with the offering. The offering will point you to specific sections of this program directory as needed.

---

## 1.1 DB2 Buffer Pool Analyzer on z/OS Description

DB2 Buffer Pool Analyzer on z/OS optimizes database performance by helping buffer pools function at their highest efficiency. It makes it easier to tune your database and substantially boost its capacity, speed, and reliability which helps you succeed in the information economy.

DB2 Buffer Pool Analyzer on z/OS provides the following support and functions:

- Data collection of virtual buffer pool activity via the DB2 IFI interface
- Comprehensive reporting of the buffer pool activity
- Simulation of buffer pool usage
- Display of report and simulation results on workstation in form of spreadsheets, graphs, and diagrams

---

## 1.2 DB2 Buffer Pool Analyzer on z/OS FMIDs

DB2 Buffer Pool Analyzer on z/OS consists of the following FMIDs:

HKDB52Z  
HKDB520  
HKOB700

---

## 2.0 Program Materials

An IBM program is identified by a program number. The program number for DB2 Buffer Pool Analyzer on z/OS is 5655-W35.

Basic Machine-Readable Materials are materials that are supplied under the base license and feature numbers, and are required for the use of the product.

The program announcement material describes the features supported by DB2 Buffer Pool Analyzer on z/OS. Ask your IBM representative for this information if you have not already received a copy.

---

### 2.1 Basic Machine-Readable Material

The distribution medium for this program is physical media or downloadable files. This program is in SMP/E RELFILE format and is installed by using SMP/E. See 6.0, "Installation Instructions" on page 21 for more information about how to install the program.

You can find information about the physical media for the basic machine-readable materials for DB2 Buffer Pool Analyzer on z/OS in the *CBPDO Memo To Users Extension*.

---

### 2.2 Optional Machine-Readable Material

No optional machine-readable materials are provided for DB2 Buffer Pool Analyzer on z/OS.

---

### 2.3 Program Publications

The following sections identify the basic publications for DB2 Buffer Pool Analyzer on z/OS.

Figure 1 identifies the basic unlicensed publications for DB2 Buffer Pool Analyzer on z/OS. Publications can be accessed at the IBM Publications Center website at <http://www.ibm.com/shop/publications/order>.

<b>Publication Title</b>	<b>Form Number</b>
<i>Buffer Pool Analyzer User's Guide</i>	SH12-7029
<i>Buffer Pool Analyzer Configuration Guide</i>	SH12-7030

The DB2 Buffer Pool Analyzer on z/OS product manuals can be found by navigating from the Web site listed below:

<http://www.ibm.com/software/data/db2imstools/library.html>

Select DB2 for z/OS Publications under Technical documentation, which can be found in a panel on the right side of the page. This will take you to a screen where the publications are listed by product. Choose DB2 Buffer Pool Analyzer from the Jump to Product selection box.

---

## 2.4 Program Source Materials

No program source materials or viewable program listings are provided for DB2 Buffer Pool Analyzer on z/OS.

---

## 2.5 Publications Useful During Installation

You might want to use the publications listed in Figure 2 during the installation of DB2 Buffer Pool Analyzer on z/OS.

<i>Figure 2. Publications Useful During Installation</i>	
<b>Publication Title</b>	<b>Form Number</b>
<i>IBM SMP/E for z/OS User's Guide</i>	SA22-7773
<i>IBM SMP/E for z/OS Commands</i>	SA22-7771
<i>IBM SMP/E for z/OS Reference</i>	SA22-7772
<i>IBM SMP/E for z/OS Messages, Codes, and Diagnosis</i>	GA22-7770



---

## 3.0 Program Support

This section describes the IBM support available for DB2 Buffer Pool Analyzer on z/OS.

---

### 3.1 Program Services

Contact your IBM representative for specific information about available program services.

---

### 3.2 Preventive Service Planning

Before you install DB2 Buffer Pool Analyzer on z/OS, make sure that you have reviewed the current Preventive Service Planning (PSP) information. Review the PSP Bucket for General Information, Installation Documentation, and the Cross Product Dependencies sections. For the Recommended Service section, instead of reviewing the PSP Bucket, it is recommended you use the IBM.ProductInstall-RequiredService fix category in SMP/E to ensure you have all the recommended service installed. Use the **FIXCAT(IBM.ProductInstall-RequiredService)** operand on the **APPLY CHECK command**. See 6.1.10, "Perform SMP/E APPLY" on page 25 for a sample APPLY command.

If you obtained DB2 Buffer Pool Analyzer on z/OS as part of a CBPDO, HOLDDATA is included.

If the CBPDO for DB2 Buffer Pool Analyzer on z/OS is older than two weeks by the time you install the product materials, you can obtain the latest PSP Bucket information by going to the following website:

<http://www14.software.ibm.com/webapp/set2/psearch/search?domain=psp>

You can also use S/390 SoftwareXcel or contact the IBM Support Center to obtain the latest PSP Bucket information.

For program support, access the Software Support Website at <http://www.ibm.com/software/support/>.

PSP Buckets are identified by UPGRADEs, which specify product levels; and SUBSETs, which specify the FMIDs for a product level. The UPGRADE and SUBSET values for DB2 Buffer Pool Analyzer on z/OS are included in Figure 3.

*Figure 3. PSP Upgrade and Subset ID*

UPGRADE	SUBSET	Description
5655W35	HKDB52Z	DB2 Buffer Pool Analyzer License Key
	HKDB520	OMEGAMON XE for DB2 PE BASE
	HKOB700/1220	OMNIMON Base

---

### 3.3 Statement of Support Procedures

Report any problems which you feel might be an error in the product materials to your IBM Support Center. You may be asked to gather and submit additional diagnostics to assist the IBM Support Center in their analysis.

Figure 4 on page 6 identifies the component IDs (COMPID) for DB2 Buffer Pool Analyzer on z/OS.

<i>Figure 4. Component IDs</i>			
<b>FMID</b>	<b>COMPID</b>	<b>Component Name</b>	<b>RETAIN Release</b>
HKDB52Z	5655OPE00	DB2 Buffer Pool Analyzer License Key	52Z
HKDB520	5655OPE00	OMEGAMON XE for DB2 PE BASE	520
HKOB700	5608A41OB	OMNIMON Base	700

---

## 4.0 Program and Service Level Information

This section identifies the program and relevant service levels of DB2 Buffer Pool Analyzer on z/OS. The program level refers to the APAR fixes that have been incorporated into the program. The service level refers to the PTFs that have been incorporated into the program.

One of the program FMIDs for DB2 Buffer Pool Analyzer on z/OS was updated to a new service level (1220) in May 2012. Refer to 4.2, "Service Level Information" for details.

---

### 4.1 Program Level Information

The following APAR fixes against previous releases of components included with DB2 Buffer Pool Analyzer on z/OS have been incorporated into this release. They are listed by FMID.

- FMID HKDB520

PM35475 PM37041 PM52174 PM53218 PM57146 PM57463 PM58589 PM59752  
PM60459 PM61114 PM62553 PM62653 PM63196 PM63570 PM63664 PM64078  
PM64708 PM65229 PM65241 PM65243 PM65348 PM65448 PM65736 PM66261  
PM66586 PM67040 PM67047 PM67062 PM67066 PM67068 PM67071 PM67072  
PM67158 PM67170 PM67398 PM67774 PM67779 PM68443 PM68500 PM68644  
PM68650 PM68880 PM70520 PM70523 PM71020 PM71024 PM71108 PM71782  
PM73940 PM74385 PM74809 PM75393 PM76521 PM76616 PM76876 PM77166  
PM77873 PM78025 PM78323 PM80113 PM80739 PM80847 PM80977 PM81053  
PM81181 PM82353 PM82479 PM82791 PM82817 PM83029 PM83612 PM84049  
PM84133 PM84155 PM84768 PM84911 PM84928 PM85025 PM85145 PM85863  
PM86651 PM86865 PM87384 PM88212 PM88659 PM89304 PM89963 PM91050  
PM91191 PM91604

- FMID HKOB700

0A27272 0A27877 0A27970 0A28103 0A28425 0A28444 0A28724 0A28740  
0A29081 0A29294 0A29503 0A30210 0A30669 0A30725 0A30730 0A31413  
0A31688 0A31815 0A31937 0A31981 0A32129 0A32140 0A32633 0A33159  
0A33889 0A34880 0A35610 0A35624 0A37536 0A37766 0A37926

---

### 4.2 Service Level Information

PTFs containing APAR fixes against one of the FMIDs in this release of DB2 Buffer Pool Analyzer on z/OS are incorporated into this product package. They are listed by FMID.

- FMID HKOB700

UA64253 UA65123

---

## 5.0 Installation Requirements and Considerations

The following sections identify the system requirements for installing and activating DB2 Buffer Pool Analyzer on z/OS. The following terminology is used:

- *Driving system*: the system on which SMP/E is executed to install the program.
- *Target system*: the system on which the program is configured and run.

In many cases, you can use a system as both a driving system and a target system. However, you can make a separate IPL-able clone of the running system to use as a target system. The clone must include copies of all system libraries that SMP/E updates, copies of the SMP/E CSI data sets that describe the system libraries, and your PARMLIB and PROCLIB.

Use separate driving and target systems in the following situations:

- When you install a new level of a product that is already installed, the new level of the product will replace the old one. By installing the new level onto a separate target system, you can test the new level and keep the old one in production at the same time.
- When you install a product that shares libraries or load modules with other products, the installation can disrupt the other products. By installing the product onto a separate target system, you can assess these impacts without disrupting your production system.

---

### 5.1 Driving System Requirements

This section describes the environment of the driving system required to install DB2 Buffer Pool Analyzer on z/OS.

#### 5.1.1 Machine Requirements

The driving system can run in any hardware environment that supports the required software.

## 5.1.2 Programming Requirements

Figure 5. Driving System Software Requirements

Program Number	Product Name	Minimum VRM	Minimum Service Level will satisfy these APARs	Included in the shipped product?
5694-A01	z/OS	V01.12.00	N/A	No

**Note:** Installation might require migration to new z/OS releases to be service supported. See [http://www-03.ibm.com/systems/z/os/zos/support/zos\\_eos\\_dates.html](http://www-03.ibm.com/systems/z/os/zos/support/zos_eos_dates.html).

## 5.2 Target System Requirements

This section describes the environment of the target system required to install and use DB2 Buffer Pool Analyzer on z/OS.

DB2 Buffer Pool Analyzer on z/OS installs in the z/OS (Z038) SREL.

### 5.2.1 Machine Requirements

The target system can run in any hardware environment that supports the required software.

### 5.2.2 Programming Requirements

#### 5.2.2.1 Installation Requisites

Installation requisites identify products that are required and *must* be present on the system or products that are not required but *should* be present on the system for the successful installation of this product.

Mandatory installation requisites identify products that are required on the system for the successful installation of this product. These products are specified as PREs or REQs.

Figure 6. Target System Mandatory Installation Requisites

Program Number	Product Name	Minimum VRM	Minimum Service Level will satisfy these APARs	Included in the shipped product?
5694-A01	z/OS	V01.12.00	N/A	No
5650-ZOS	z/OS	V02.01.00	N/A	No

**Note:** Installation might require migration to new z/OS releases to be service supported. See [http://www-03.ibm.com/systems/z/os/zos/support/zos\\_eos\\_dates.html](http://www-03.ibm.com/systems/z/os/zos/support/zos_eos_dates.html).

Conditional installation requisites identify products that are *not* required for successful installation of this product but can resolve such things as certain warning messages at installation time. These products are specified as IF REQs.

DB2 Buffer Pool Analyzer on z/OS has no conditional installation requisites.

### 5.2.2.2 Operational Requisites

Operational requisites are products that are required and *must* be present on the system or products that are not required but *should* be present on the system for this product to operate all or part of its functions.

Mandatory operational requisites identify products that are required for this product to operate its basic functions. These products are specified as PREs or REQs.

<i>Figure 7. Target System Mandatory Operational Requisites</i>	
<b>Program Number</b>	<b>Product Name and Minimum VRM/Service Level</b>
5694-A01	z/OS V01.12.00 or higher
Any <b>one</b> of the following:	
5635-DB2	IBM DB2 for z/OS V09.01.00
5605-DB2	IBM DB2 for z/OS V10.01.00
5615-DB2	IBM DB2 for z/OS V11.00.00
5697-P12	IBM DB2 Value Unit Edition V09.01.00
5697-P31	IBM DB2 Value Unit Edition V10.01.00
5697-P43	IBM DB2 Value Unit Edition V11.00.00

Conditional operational requisites identify products that are *not* required for this product to operate its basic functions but are required at run time for this product to operate specific functions. These products are specified as IF REQs.

DB2 Buffer Pool Analyzer on z/OS has no conditional operational requisites.

### 5.2.2.3 Toleration/Coexistence Requisites

Toleration/coexistence requisites identify products that must be present on sharing systems. These systems can be other systems in a multisystem environment (not necessarily sysplex), a shared DASD environment (such as test and production), or systems that reuse the same DASD environment at different time intervals.

DB2 Buffer Pool Analyzer on z/OS has no toleration/coexistence requisites.

### 5.2.2.4 Incompatibility (Negative) Requisites

Negative requisites identify products that must *not* be installed on the same system as this product.

<i>Figure 8. Target System Negative Requisites</i>	
<b>Program Number</b>	<b>Product Name and Minimum VRM/Service Level</b>
5655-Q08	IBM Tivoli OMEGAMON XE for DB2 Performance Monitor on z/OS V04.01.00 or higher
5655-W38	IBM Tivoli OMEGAMON XE for DB2 Performance Monitor on z/OS V05.01.00
5655-W38	IBM Tivoli OMEGAMON XE for DB2 Performance Monitor on z/OS V05.01.01
5655-Q07	IBM Tivoli OMEGAMON XE for DB2 Performance Expert on z/OS V04.01.00 or higher
5655-W37	IBM Tivoli OMEGAMON XE for DB2 Performance Expert on z/OS V05.01.00 or higher

### 5.2.3 DASD Storage Requirements

DB2 Buffer Pool Analyzer on z/OS libraries can reside on all supported DASD types.

Figure 9 lists the total space that is required for each type of library.

<i>Figure 9. Total DASD Space Required by DB2 Buffer Pool Analyzer on z/OS</i>	
<b>Library Type</b>	<b>Total Space Required in 3390 Trks</b>
Target	3359
Distribution	3358

#### Notes:

1. If you are installing into an existing environment that has the data sets in Figure 12 on page 13 and Figure 13 on page 15 already allocated, ensure sufficient disk space and directory blocks are available to support the requirement listed. This might require you to reallocate some data sets to avoid x37 abends.
2. Use system determined block sizes for efficient DASD utilization for all non-RECFM U data sets. For RECFM U data sets, a block size of 32760 is recommended, which is the most efficient from a performance and DASD utilization perspective.
3. Abbreviations used for data set types are shown as follows.
  - U** Unique data set, allocated by this product and used by only this product. This table provides all the required information to determine the correct storage for this data set. You do not need to refer to other tables or program directories for the data set size.

- S** Shared data set, allocated by this product and used by this product and other products. To determine the correct storage needed for this data set, add the storage size given in this table to those given in other tables (perhaps in other program directories). If the data set already exists, it must have enough free space to accommodate the storage size given in this table.
- E** Existing shared data set, used by this product and other products. This data set is *not* allocated by this product. To determine the correct storage for this data set, add the storage size given in this table to those given in other tables (perhaps in other program directories). If the data set already exists, it must have enough free space to accommodate the storage size given in this table.

If you currently have a previous release of this product installed in these libraries, the installation of this release will delete the old release and reclaim the space that was used by the old release and any service that had been installed. You can determine whether these libraries have enough space by deleting the old release with a dummy function, compressing the libraries, and comparing the space requirements with the free space in the libraries.

For more information about the names and sizes of the required data sets, see 6.1.7, "Allocate SMP/E Target and Distribution Libraries" on page 24.

4. All target and distribution libraries listed have the following attributes:
  - The default name of the data set can not be changed.
  - The default block size of the data set can be changed.
  - The data set can not be merged with another data set that has equivalent characteristics.
5. All target libraries listed have the following attributes:
  - These data sets can be SMS-managed, but they are not required to be SMS-managed.
  - These data sets are not required to reside on the IPL volume.
  - The values in the "Member Type" column are not necessarily the actual SMP/E element types that are identified in the SMPMCS.
6. All target libraries that are listed and contain load modules have the following attributes:
  - These data sets can not be in the LPA.
  - These data sets can be in the LNKST except for TKNMODS.

If you are installing into an existing environment, ensure the values used for the SMP/E work datasets reflect the minimum values shown in Figure 10 on page 13. Check the corresponding DDDEF entries in all zones because use of values lower than these can result in failures in the installation process. Refer to the SMP/E manuals for instructions on updating DDDEF entries.



*Figure 10. Storage Requirements for SMP/E Work Data Sets*

<b>Library DDNAME</b>	<b>T Y P E</b>	<b>O R G A N I Z A T I O N</b>	<b>R E C O R D S</b>	<b>L E N G T H</b>	<b>Prim No. of 3390 Trks</b>	<b>Sec No. of 3390 Trks</b>	<b>No. of DIR Blks</b>
SMPWRK1	S	PDS	FB	80	150	150	220
SMPWRK2	S	PDS	FB	80	150	150	220
SMPWRK3	S	PDS	FB	80	300	600	1320
SMPWRK4	S	PDS	FB	80	150	150	220
SMPWRK6	S	PDS	FB	80	300	1500	660
SYSUT1	S	SEQ	--	--	75	75	0
SYSUT2	S	SEQ	--	--	75	75	0
SYSUT3	S	SEQ	--	--	75	75	0
SYSUT4	S	SEQ	--	--	75	75	0

If you are installing into an existing environment, ensure the current SMP/E support dataset allocations reflect the minimum values shown in Figure 11. Check the space and directory block allocation and reallocate the data sets, if necessary.

*Figure 11. Storage Requirements for SMP/E Data Sets*

<b>Library DDNAME</b>	<b>T Y P E</b>	<b>O R G A N I Z A T I O N</b>	<b>R E C O R D S</b>	<b>L E N G T H</b>	<b>Prim No. of 3390 Trks</b>	<b>Sec No. of 3390 Trks</b>	<b>No. of DIR Blks</b>
SMPLTS	S	PDSE	U	0	15	150	N/A
SMPMTS	S	PDS	FB	80	15	150	220
SMPPTS	S	PDSE	FB	80	300	1500	N/A
SMPSCDS	S	PDS	FB	80	15	150	220
SMPSTS	S	PDS	FB	80	15	150	220

Figure 12 and Figure 13 on page 15 describe the target and distribution libraries that will be allocated by this product's install jobs or that will be required for installation. The space requirements reflect what is specified in the allocation job or the space that this product will require in existing libraries. Additional tables are provided to show the specific space required for libraries that are used by each FMID. See 5.2.4, "DASD Storage Requirements by FMID" on page 16 for more information.

The storage requirements of DB2 Buffer Pool Analyzer on z/OS must be added to the storage required by other programs having data in the same library or path.

Figure 12 (Page 1 of 2). Storage Requirements for DB2 Buffer Pool Analyzer on z/OS Target Libraries

Library DDNAME	Member Type	Target Volume	T Y P E	O R G	R E C F M	L R E C L	No. of 3390 Trks	No. of DIR Blks
TKANCLI	CLIST	Any	S	PDS	FB	80	2	44
TKANCUS	CLIST	Any	S	PDS	FB	80	65	44
TKANDATV	Data	Any	S	PDS	VB	6160	177	44
TKANEXEC	EXEC	Any	S	PDS	VB	255	5	44
TKANHENU	Help	Any	S	PDS	FB	80	150	132
TKANISP	CLIST	Any	S	PDS	FB	80	2	44
TKANMAC	Macro	Any	S	PDS	FB	80	10	44
TKANMOD	LMOD	Any	S	PDS	U	0	1025	748
TKANMODL	LMOD	Any	S	PDS	U	0	135	44
TKANMODP	LMOD	Any	S	PDSE	U	0	67	N/A
TKANMODS	LMOD	Any	S	PDS	U	0	70	88
TKANOSRC	Data	Any	S	PDS	VB	255	2	44
TKANPAR	Parm	Any	S	PDS	FB	80	17	44
TKANPENU	Panel	Any	S	PDS	FB	80	677	352
TKANPKGI	Data	Any	S	PDS	FB	80	55	44
TKANSAM	Sample	Any	S	PDS	FB	80	13	44
TKANSAMV	Sample	Any	S	PDS	VB	255	18	44
TKANWENU	Panel	Any	S	PDS	FB	80	64	88
TKOBDATF	Data	Any	S	PDS	FB	80	2	44
TKOBHELP	Help	Any	S	PDS	FB	80	20	176
TKO2DATA	Data	Any	S	PDS	VB	9072	8	44
TKO2DBRM	Data	Any	S	PDS	FB	80	62	44
TKO2EXEC	EXEC	Any	S	PDS	FB	80	37	44
TKO2HELP	Help	Any	S	PDS	FB	80	18	176
TKO2MENU	Message	Any	S	PDS	FB	80	8	44
TKO2PENU	Panel	Any	S	PDS	FB	80	266	748
TKO2PROC	Panel	Any	S	PDS	FB	80	185	1100
TKO2SAMP	Sample	Any	S	PDS	FB	80	170	88
TKO2SLIB	Sample	Any	S	PDS	FB	80	3	44

Figure 12 (Page 2 of 2). Storage Requirements for DB2 Buffer Pool Analyzer on z/OS Target Libraries

Library DDNAME	Member Type	Target Volume	T Y P E	O R G	R E C F M	L R E C L	No. of 3390 Trks	No. of DIR Blks
TKO2TENU	Table	Any	S	PDS	FB	80	10	44
TKO2WS01	Data	Any	S	PDS	VB	256	16	44

Figure 13 (Page 1 of 2). Storage Requirements for DB2 Buffer Pool Analyzer on z/OS Distribution Libraries

Library DDNAME	T Y P E	O R G	R E C F M	L R E C L	No. of 3390 Trks	No. of DIR Blks
DKANCLI	S	PDS	FB	80	2	44
DKANCUS	S	PDS	FB	80	65	44
DKANDATV	S	PDS	VB	6160	177	44
DKANEXEC	S	PDS	VB	255	5	44
DKANHENU	S	PDS	FB	80	150	132
DKANISP	S	PDS	FB	80	2	44
DKANMAC	S	PDS	FB	80	10	44
DKANMOD	S	PDS	U	0	1025	748
DKANMODL	S	PDS	U	0	134	44
DKANMODP	S	PDSE	U	0	67	N/A
DKANMODS	S	PDS	U	0	70	44
DKANOSRC	S	PDS	VB	255	2	44
DKANPAR	S	PDS	FB	80	17	44
DKANPENU	S	PDS	FB	80	677	352
DKANPKGI	S	PDS	FB	80	55	44
DKANSAM	S	PDS	FB	80	13	44
DKANSAMV	S	PDS	VB	255	18	44
DKANWENU	S	PDS	FB	80	64	88
DKOBDATF	S	PDS	FB	80	2	44
DKOBHELP	S	PDS	FB	80	20	176
DKO2DATA	S	PDS	VB	9072	8	44
DKO2DBRM	S	PDS	FB	80	62	44

Figure 13 (Page 2 of 2). Storage Requirements for DB2 Buffer Pool Analyzer on z/OS Distribution Libraries

Library DDNAME	T Y P E	O R G	R E C F M	L R E C L	No. of 3390 Trks	No. of DIR Blks
DKO2EXEC	S	PDS	FB	80	37	44
DKO2HELP	S	PDS	FB	80	18	176
DKO2MENU	S	PDS	FB	80	8	44
DKO2PENU	S	PDS	FB	80	266	748
DKO2PROC	S	PDS	FB	80	185	1100
DKO2SAMP	S	PDS	FB	80	170	88
DKO2SLIB	S	PDS	FB	80	3	44
DKO2TENU	S	PDS	FB	80	10	44
DKO2WS01	S	PDS	VB	256	16	44

## 5.2.4 DASD Storage Requirements by FMID

The tables in this section can help determine the specific space required for components not already installed in an existing environment. There is a table for each FMID included with the product.

Figure 14. Storage Requirements for HKDB52Z Libraries

Library DDNAME	Member Type	Target Volume	T Y P E	O R G	R E C F M	L R E C L	No. of 3390 Trks	No. of DIR Blks
TKANMOD	LMOD	Any	S	PDS	U	0	1	1
TKANPKGI	Data	Any	S	PDS	FB	80	4	2
DKANMOD			S	PDS	U	0	1	1
DKANPKGI			S	PDS	FB	80	4	2

Figure 15 (Page 1 of 3). Storage Requirements for HKDB520 Libraries

Library DDNAME	Member Type	Target Volume	T Y P E	O R G	R E C F M	L R E C L	No. of 3390 Trks	No. of DIR Blks
TKANCLI	CLIST	Any	S	PDS	FB	80	2	1

Figure 15 (Page 2 of 3). Storage Requirements for HKDB520 Libraries

Library DDNAME	Member Type	Target Volume	T Y P E	O R G	R E C F M	L R E C L	No. of 3390 Trks	No. of DIR Blks
TKANCUS	CLIST	Any	S	PDS	FB	80	44	5
TKANDATV	Data	Any	S	PDS	VB	6160	154	3
TKANEXEC	EXEC	Any	S	PDS	VB	255	3	3
TKANHENU	Help	Any	S	PDS	FB	80	129	77
TKANMOD	LMOD	Any	S	PDS	U	0	792	448
TKANMODL	LMOD	Any	S	PDS	U	0	108	10
TKANPAR	Parm	Any	S	PDS	FB	80	13	2
TKANPENU	Panel	Any	S	PDS	FB	80	589	228
TKANPKGI	Data	Any	S	PDS	FB	80	34	1
TKANSAM	Sample	Any	S	PDS	FB	80	8	4
TKANSAMV	Sample	Any	S	PDS	VB	255	16	18
TKANWENU	Panel	Any	S	PDS	FB	80	52	36
TKO2DATA	Data	Any	S	PDS	VB	9072	7	1
TKO2DBRM	Data	Any	S	PDS	FB	80	54	23
TKO2EXEC	EXEC	Any	S	PDS	FB	80	33	8
TKO2HELP	Help	Any	S	PDS	FB	80	16	103
TKO2MENU	Message	Any	S	PDS	FB	80	7	19
TKO2PENU	Panel	Any	S	PDS	FB	80	232	518
TKO2PROC	Panel	Any	S	PDS	FB	80	161	759
TKO2SAMP	Sample	Any	S	PDS	FB	80	148	45
TKO2SLIB	Sample	Any	S	PDS	FB	80	3	3
TKO2TENU	Table	Any	S	PDS	FB	80	9	3
TKO2WS01	Data	Any	S	PDS	VB	256	14	3
DKANCLI			S	PDS	FB	80	2	1
DKANCUS			S	PDS	FB	80	44	5
DKANDATV			S	PDS	VB	6160	154	3
DKANEXEC			S	PDS	VB	255	3	3
DKANHENU			S	PDS	FB	80	129	77
DKANMOD			S	PDS	U	0	792	448

Figure 15 (Page 3 of 3). Storage Requirements for HKDB520 Libraries

Library DDNAME	Member Type	Target Volume	T Y P E	O R G	R E C F M	L R E C L	No. of 3390 Trks	No. of DIR Blks
DKANMODL			S	PDS	U	0	108	10
DKANPAR			S	PDS	FB	80	13	2
DKANPENU			S	PDS	FB	80	589	228
DKANPKGI			S	PDS	FB	80	34	1
DKANSAM			S	PDS	FB	80	8	4
DKANSAMV			S	PDS	VB	255	16	18
DKANWENU			S	PDS	FB	80	52	36
DKO2DATA			S	PDS	VB	9072	7	1
DKO2DBRM			S	PDS	FB	80	54	23
DKO2EXEC			S	PDS	FB	80	33	8
DKO2HELP			S	PDS	FB	80	16	103
DKO2MENU			S	PDS	FB	80	7	19
DKO2PENU			S	PDS	FB	80	232	518
DKO2PROC			S	PDS	FB	80	161	759
DKO2SAMP			S	PDS	FB	80	148	45
DKO2SLIB			S	PDS	FB	80	3	3
DKO2TENU			S	PDS	FB	80	9	3
DKO2WS01			S	PDS	VB	256	14	3

Figure 16 (Page 1 of 2). Storage Requirements for HKOB700 Libraries

Library DDNAME	Member Type	Target Volume	T Y P E	O R G	R E C F M	L R E C L	No. of 3390 Trks	No. of DIR Blks
TKANCUS	CLIST	Any	S	PDS	FB	80	13	14
TKANEXEC	EXEC	Any	S	PDS	VB	255	2	1
TKANHENU	Help	Any	S	PDS	FB	80	2	1
TKANISP	CLIST	Any	S	PDS	FB	80	2	1
TKANMAC	Macro	Any	S	PDS	FB	80	9	2
TKANMOD	LMOD	Any	S	PDS	U	0	99	83

Figure 16 (Page 2 of 2). Storage Requirements for HKOB700 Libraries

Library DDNAME	Member Type	Target Volume	T Y P E	O R G	R E C F M	L R E C L	No. of 3390 Trks	No. of DIR Blks
TKANMODL	LMOD	Any	S	PDS	U	0	9	1
TKANMODP	LMOD	Any	S	PDSE	U	0	59	N/A
TKANMODS	LMOD	Any	S	PDS	U	0	61	2
TKANOSRC	Data	Any	S	PDS	VB	255	2	2
TKANPAR	Parm	Any	S	PDS	FB	80	2	1
TKANPKGI	Data	Any	S	PDS	FB	80	10	1
TKANSAM	Sample	Any	S	PDS	FB	80	4	2
TKANWENU	Panel	Any	S	PDS	FB	80	4	6
TKOBDATF	Data	Any	S	PDS	FB	80	2	1
TKOBHELP	Help	Any	S	PDS	FB	80	18	100
DKANCUS			S	PDS	FB	80	13	14
DKANEXEC			S	PDS	VB	255	2	1
DKANHENU			S	PDS	FB	80	2	1
DKANISP			S	PDS	FB	80	2	1
DKANMAC			S	PDS	FB	80	9	2
DKANMOD			S	PDS	U	0	99	83
DKANMODL			S	PDS	U	0	9	1
DKANMODP			S	PDSE	U	0	59	N/A
DKANMODS			S	PDS	U	0	61	2
DKANOSRC			S	PDS	VB	255	2	2
DKANPAR			S	PDS	FB	80	2	1
DKANPKGI			S	PDS	FB	80	10	1
DKANSAM			S	PDS	FB	80	4	2
DKANWENU			S	PDS	FB	80	4	6
DKOBDATF			S	PDS	FB	80	2	1
DKOBHELP			S	PDS	FB	80	18	100

---

## 5.3 FMIDs Deleted

Installing DB2 Buffer Pool Analyzer on z/OS might result in the deletion of other FMIDs. To see which FMIDs will be deleted, examine the ++VER statement in the SMPMCS of the product.

If you do not want to delete these FMIDs at this time, install DB2 Buffer Pool Analyzer on z/OS into separate SMP/E target and distribution zones.

**Note:** These FMIDs are not automatically deleted from the Global Zone. If you want to delete these FMIDs from the Global Zone, use the SMP/E REJECT NOFMID DELETEFMID command. See the SMP/E Commands book for details.

---

## 5.4 Special Considerations

DB2 Buffer Pool Analyzer on z/OS includes several components that are referred to as common components because they are also included with other products. If you install into an existing environment, you might need to remove some of the FMID references for these components from the SMP/E installation jobs to avoid errors because they are already installed.

These common components are:

HKDB520  
HKOB700

DB2 Buffer Pool Analyzer on z/OS requires maintenance for one of the components needed by this product package.

If you are installing into an existing CSI zone that contains the listed FMID, ensure the maintenance has been installed previously or it must be installed with this product package.

HKOB700 - UA70618

Consider the following items when using shared CSI zones.

- You must specify the same high-level qualifier for the target and distribution libraries as the other products in the same zones for the configuration tool to work correctly.
- If you install a product into an existing CSI that contains a previous version of the same product, SMP/E deletes the previous version during the installation process. To maintain multiple product versions concurrently, they must be installed into separate CSI zones.
- If you install into an existing environment, you might need to remove data set references from the installation jobs to avoid errors because the data sets already exist.
- If you are installing into an existing environment that has the data sets already allocated, ensure sufficient space and directory blocks are available to support the requirement listed in the DASD tables. This might require you to reallocate some data sets to avoid x37 abends.



---

## 6.0 Installation Instructions

This chapter describes the installation method and the step-by-step procedures to install and to activate the functions of DB2 Buffer Pool Analyzer on z/OS.

Please note the following points:

- If you want to install DB2 Buffer Pool Analyzer on z/OS into its own SMP/E environment, consult the SMP/E manuals for instructions on creating and initializing the SMPCSI and the SMP/E control data sets. Additionally, to assist you in doing this, IBM has provided samples at the following Website to help you create an SMP/E environment.

<http://www.ibm.com/support/docview.wss?rs=660&context=SSZJDU&uid=swg21066230>

- You can use the sample jobs that are provided to perform part or all of the installation tasks. The SMP/E jobs assume that all DDDEF entries that are required for SMP/E execution have been defined in appropriate zones.

---

### 6.1 Installing DB2 Buffer Pool Analyzer on z/OS

#### 6.1.1 SMP/E Considerations for Installing DB2 Buffer Pool Analyzer on z/OS

Use the SMP/E RECEIVE, APPLY, and ACCEPT commands to install this release of DB2 Buffer Pool Analyzer on z/OS.

#### 6.1.2 SMP/E Options Subentry Values

The recommended values for certain SMP/E CSI subentries are shown in Figure 17. Using values lower than the recommended values can result in failures in the installation. DSSPACE is a subentry in the GLOBAL options entry. PEMAX is a subentry of the GENERAL entry in the GLOBAL options entry. See the SMP/E manuals for instructions on updating the global zone.

<i>Figure 17. SMP/E Options Subentry Values</i>		
<b>Subentry</b>	<b>Value</b>	<b>Comment</b>
DSSPACE	300,1200,1200	Use 1200 directory blocks
PEMAX	SMP/E Default	IBM recommends using the SMP/E default for PEMAX.

### 6.1.3 SMP/E CALLLIBS Processing

DB2 Buffer Pool Analyzer on z/OS uses the CALLLIBS function provided in SMP/E to resolve external references during installation. When DB2 Buffer Pool Analyzer on z/OS is installed, ensure that DDDEFs exist for the following libraries:

- CSSLIB
- SCEELKED
- SCEERUN
- SDSNLOAD
- SEZACMTX

**Note:** The DDDEFs above are used only to resolve the link-edit for DB2 Buffer Pool Analyzer on z/OS using CALLLIBS. These data sets are not updated during the installation of DB2 Buffer Pool Analyzer on z/OS.

### 6.1.4 Sample Jobs

The sample jobs provided expect a CSI to exist already. The sample installation jobs in Figure 18 are provided as part of the product to help you install DB2 Buffer Pool Analyzer on z/OS.

<i>Figure 18. Sample Installation Jobs</i>			
Job Name	Job Type	Description	RELFILE
KDBZ1SMA	Optional	Sample job to create new SMP/E support files	IBM.HKDB52Z.F3
KDBZ2SMI	Optional	Sample job to create and prime a new SMP/E CSI	IBM.HKDB52Z.F3
KDBZ3ALO	ALLOCATE	Sample job to allocate target and distribution libraries	IBM.HKDB52Z.F3
KDBZ4DDF	DDDEF	Sample job to define SMP/E DDDEFs	IBM.HKDB52Z.F3
KDBZ5REC	RECEIVE	Sample RECEIVE job	IBM.HKDB52Z.F3
KDBZ6APP	APPLY	Sample APPLY job	IBM.HKDB52Z.F3
KDBZ7ACC	ACCEPT	Sample ACCEPT job	IBM.HKDB52Z.F3

You can access the sample installation jobs by performing a SMP/E RECEIVE (refer to 6.1.9, “Perform SMP/E RECEIVE” on page 24), then copy the jobs from the relfiles to a work data set for editing and submission. See Figure 18 to find the appropriate relfile data set.

You can also choose to copy the jobs from the tape or product files by creating and submitting the job below. Use either the //TAPEIN or the //FILEIN DD statement, depending on your distribution medium, and comment out or delete the other statement. Add a job card and change the lowercase parameters to uppercase values to meet your site's requirements before submitting.

```

//STEP1 EXEC PGM=IEBCOPY,REGION=4M
//SYSPRINT DD SYSOUT=*
//TAPEIN DD DSN=IBM.HKDB52Z.F3,UNIT=tunit,
// VOL=SER=volser,LABEL=(x,SL),
// DISP=(OLD,KEEP)
//FILEIN DD DSN=IBM.HKDB52Z.F3,UNIT=SYSALLDA,DISP=SHR,
// VOL=SER=filevol
//OUT DD DSNAME=jcl-library-name,
// DISP=(NEW,CATLG,DELETE),
// VOL=SER=dasdvol,UNIT=SYSALLDA,
// SPACE=(TRK,(10,2,5))
//SYSUT3 DD UNIT=SYSALLDA,SPACE=(CYL,(1,1))
//SYSIN DD *
COPY INDD=xxxxIN,OUTDD=OUT
SELECT MEMBER=(KDBZ1SMA,KDBZ2SMI,KDBZ3ALO,KDBZ4DDF,KDBZ5REC)
SELECT MEMBER=(KDBZ6APP,KDBZ7ACC)
/*

```

In the sample above, update the statements as noted below:

If using TAPEIN:

**tunit** is the unit value that matches the product tape.

**volser** is the volume serial that matches the product tape.

**x** is the tape file number that indicates the location of the data set name on the tape.

Refer to the documentation provided by CBPDO to see where IBM.HKDB52Z.F3 is on the tape.

If using FILEIN:

**filevol** is the volume serial of the DASD device where the downloaded files reside.

OUT:

**jcl-library-name** is the name of the output data set where the sample jobs are stored.

**dasdvol** is the volume serial of the DASD device where the output data set resides.

SYSIN:

Change **xxxxIN** to either TAPEIN or FILEIN depending on your input DD statement.

## 6.1.5 Create New SMP/E Support Files - Optional

If you do not want to install into an existing environment, you can create a new environment. To allocate new SMP/E support data sets for DB2 Buffer Pool Analyzer on z/OS installation, edit and submit sample job KDBZ1SMA. Consult the instructions in the sample job for more information.

**Expected Return Codes and Messages: 0**

## 6.1.6 Create New SMP/E CSI - Optional

If you do not want to install into an existing environment, you can create a new environment. To allocate a new SMP/E CSI and prime it for DB2 Buffer Pool Analyzer on z/OS installation, edit and submit sample job KDBZ2SMI. Consult the instructions in the sample job for more information.

**Expected Return Codes and Messages: 0**

## 6.1.7 Allocate SMP/E Target and Distribution Libraries

Edit and submit sample job KDBZ3ALO to allocate the SMP/E target and distribution libraries for DB2 Buffer Pool Analyzer on z/OS. Consult the instructions in the sample job for more information. Consider the following issues before submitting the job.

- If you are installing into an existing environment, you might have to remove lines for data sets that already exist.
- If you are installing into an existing environment that has the data sets already allocated, ensure sufficient space and directory blocks are available to support the requirement listed in the DASD tables. This might require you to reallocate some data sets to avoid x37 abends.

**Expected Return Codes and Messages: 0**

## 6.1.8 Create DDDEF Entries

Edit and submit sample job KDBZ4DDF to create DDDEF entries for the SMP/E target and distribution libraries for DB2 Buffer Pool Analyzer on z/OS. Consult the instructions in the sample job for more information. If you are installing into an existing environment, you might have to remove lines for data sets that already exist.

**Expected Return Codes and Messages: 0**

## 6.1.9 Perform SMP/E RECEIVE

If you have obtained DB2 Buffer Pool Analyzer on z/OS as part of a CBPDO, use the RCVPDO job in the CBPDO RIMLIB data set to receive the DB2 Buffer Pool Analyzer on z/OS FMIDs, service, and HOLDDATA that are included on the CBPDO package. For more information, see the documentation that is included in the CBPDO.

You can also choose to edit and submit sample job KDBZ5REC to perform the SMP/E RECEIVE for DB2 Buffer Pool Analyzer on z/OS. Consult the instructions in the sample job for more information.

**Expected Return Codes and Messages: 0**

## 6.1.10 Perform SMP/E APPLY

Edit and submit sample job KDBZ6APP to perform an SMP/E APPLY CHECK for DB2 Buffer Pool Analyzer on z/OS. Consult the instructions in the sample job for more information.

The latest HOLDDATA is available through several different portals, including <http://service.software.ibm.com/holdata/390holddata.html>. The latest HOLDDATA may identify HIPER and FIXCAT APARs for the FMIDs you will be installing. An APPLY CHECK will help you determine if any HIPER or FIXCAT APARs are applicable to the FMIDs you are installing. If there are any applicable HIPER or FIXCAT APARs, the APPLY CHECK will also identify fixing PTFs that will resolve the APARs, if a fixing PTF is available.

You should install the FMIDs regardless of the status of unresolved HIPER or FIXCAT APARs. However, do not deploy the software until the unresolved HIPER and FIXCAT APARs have been analyzed to determine their applicability. That is, before deploying the software either ensure fixing PTFs are applied to resolve all HIPER or FIXCAT APARs, or ensure the problems reported by all HIPER or FIXCAT APARs are not applicable to your environment.

To receive the full benefit of the SMP/E Causer SYSMOD Summary Report, do *not* bypass the PRE, ID, REQ, and IFREQ on the APPLY CHECK. The SMP/E root cause analysis identifies the cause only of *errors* and not of *warnings* (SMP/E treats bypassed PRE, ID, REQ, and IFREQ conditions as warnings, instead of errors).

Here are sample APPLY commands:

1. To ensure that all recommended and critical service is installed with the FMIDs, receive the latest HOLDDATA and use the APPLY CHECK command as follows

```
APPLY S(fmid,fmid,...) CHECK
FORFMID(fmid,fmid,...)
SOURCEID(RSU*)
FIXCAT(IBM.ProductInstall-RequiredService)
GROUPEXTEND .
```

Some HIPER APARs might not have fixing PTFs available yet. You should analyze the symptom flags for the unresolved HIPER APARs to determine if the reported problem is applicable to your environment and if you should bypass the specific ERROR HOLDS in order to continue the installation of the FMIDs.

This method requires more initial research, but can provide resolution for all HIPERs that have fixing PTFs available and are not in a PE chain. Unresolved PEs or HIPERs might still exist and require the use of BYPASS.

2. To install the FMIDs without regard for unresolved HIPER APARs, you can add the BYPASS(HOLDCLASS(HIPER)) operand to the APPLY CHECK command. This will allow you to install FMIDs even though one or more unresolved HIPER APARs exist. After the FMIDs are installed, use the SMP/E REPORT ERRSYSMODS command to identify unresolved HIPER APARs and any fixing PTFs.

```

APPLY S(fmid,fmid,...) CHECK
FORFMID(fmid,fmid,...)
SOURCEID(RSU*)
FIXCAT(IBM.ProductInstall-RequiredService)
GROUPEXTEND
BYPASS(HOLDCLASS(HIPER)) .
..any other parameters documented in the program directory

```

This method is the quicker, but requires subsequent review of the Exception SYSMOD report produced by the REPORT ERRSYSMODS command to investigate any unresolved HIPERs. If you have received the latest HOLDDATA, you can also choose to use the REPORT MISSINGFIX command and specify Fix Category IBM.ProductInstall-RequiredService to investigate missing recommended service.

If you bypass HOLDS during the installation of the FMIDs because fixing PTFs are not yet available, you can be notified when the fixing PTFs are available by using the APAR Status Tracking (AST) function of ServiceLink or the APAR Tracking function of ResourceLink.

### Expected Return Codes and Messages from APPLY CHECK: 0

After you take actions that are indicated by the APPLY CHECK, remove the CHECK operand and run the job again to perform the APPLY.

**Note:** The GROUPEXTEND operand indicates that SMP/E applies all requisite SYSMODs. The requisite SYSMODS might be applicable to other functions.

If you process a PTF with a ++HOLD statement, you will receive a return code of 4 and the following message when the BYPASS operand is used.

```

GIM42001W THE FOLLOWING CONDITIONS FOR SYSMOD sysmod
          WERE NOT SATISFIED, BUT WERE IGNORED BECAUSE THE
          BYPASS OPERAND WAS SPECIFIED. PROCESSING CONTINUES.

```

If the BYPASS operand is not included in the control statement when processing a PTF with a ++HOLD statement, the job will get a return code of 12 and the following message.

```

GIM30206E command PROCESSING FAILED FOR SYSMOD sysmod.
          HOLD REASON IDS WERE NOT RESOLVED.

```

### Expected Return Codes and Messages from APPLY: 4

You can receive many of the following messages depending on your environment. These messages can be ignored, because they will not affect product execution.

```

GIM23903W LINK-EDIT PROCESSING FOR SYSMOD aaaaaaaa
          WAS SUCCESSFUL FOR MODULE bbbbbbbb IN
          LMOD cccccccc IN THE dddddddd LIBRARY. THE
          RETURN CODE WAS ee. DATE yy.ddd - TIME
          hh:mm:ss - SEQUENCE NUMBER nnnnnn.

```

```

GIM23913W LINK-EDIT PROCESSING FOR SYSMOD aaaaaaa

```

WAS SUCCESSFUL FOR MODULE bbbbbbb IN  
 LMOD ccccccc IN THE ddddddd LIBRARY. THE  
 RETURN CODE WAS ee. DATE yy.ddd -- TIME  
 hh:mm:ss -- SEQUENCE NUMBER nnnnnn --  
 SYSPRINT FILE ffffffff.

IEW2454W SYMBOL symbo1 UNRESOLVED. NO AUTOCALL (NCAL) SPECIFIED.

Figure 19 contains a list of elements that might be marked as not selected during the APPLY and ACCEPT processes. This might occur because a VERSION parameter was supplied in an FMID indicating that it contained a higher level version of the same element provided by another FMID being processed at the same time. The higher version element is selected for processing and the lower version is not selected for processing. It might also occur because maintenance is being installed at the same time as the FMIDs.

<i>Figure 19 (Page 1 of 2). SMP/E Elements Not Selected</i>					
KCASMFM4	KCCIDC	KCCTAB	KCNSSAM2	KIAIANL5	KIAMDCL5
KOBABOUT	KOBACERR	KOBAG2	KOBAUINT	KOBBASEM	KOBCATTC
KOBCBLK\$	KOBCBLK@	KOBCBLKQ	KOBCENV\$	KOBCENV@	KOBCENVG
KOBCENVV	KOBCFGAP	KOBCIIPM	KOBCIIRR	KOBCIOBE	KOBCIOST
KOBCJUMP	KOBCLOCK	KOBCMAP\$	KOBCMAP@	KOBCMAPI	KOBCRACF
KOBCSOC\$	KOBCSOC@	KOBCSOCK	KOBCSTIO	KOBCSTLB	KOBCSTRN
KOBCTHR\$	KOBCTHR@	KOBCTHRD	KOBCTIME	KOBCTRAC	KOBCTREE
KOBCTYPE	KOBCUA	KOBCULKS	KOBCUNIS	KOBCUXIO	KOBCVSTG
KOBCWTOL	KOBCZDIO	KOBDINFO	KOBDSPCT	KOBDVTM	KOBENUS
KOBENV#T	KOBESAIS	KOBEXCDM	KOBFRR00	KOBFSCOM	KOBGATW0
KOBGWCND	KOBGWCV\$	KOBGWCV#	KOBGWCV@	KOBGWCVA	KOBGWLPA
KOBGWOBV	KOBGWRE\$	KOBGWRE@	KOBGWREG	KOBHELP	KOBHUBID
KOBICMDM	KOBICM2M	KOBICM3M	KOBINDEX	KOBINITM	KOBINPWM
KOBINT1M	KOBIPROM	KOBLGINI	KOBLGSND	KOBLGSRV	KOBLGTBL
KOBLGWTO	KOBLISTN	KOBLOFLT	KOBLOGON	KOBMSLS	KOBMSNS
KOBM5IN1	KOBNTCBS	KOBOBVA\$	KOBOBVA@	KOBOBVAP	KOBODIL\$
KOBODIL@	KOBODILD	KOBODISC	KOBODUTL	KOBOMIOM	KOBOSPC
KOBO4SRV	KOBPDSI0	KOBPEEKT	KOBREGAP	KOBRRUI\$	KOBRRUI@
KOBRRUIA	KOBRRWK\$	KOBRRWK@	KOBRRWKR	KOBRSMGR	KOBRSMG1
KOBSAFX0	KOBSHART	KOBSHUTD	KOBSRBDM	KOBSSYSV	KOBSTART
KOBSUB#M	KOBSUBET	KOBSUB1M	KOBSUB4T	KOBTERMM	KOBTHRMT
KOBTHRSH	KOBTIMEO	KOBUICM0	KOBUICS0	KOBUIDG0	KOBUIEP0

Figure 19 (Page 2 of 2). SMP/E Elements Not Selected

KOBUIFD0	KOBUIGD0	KOBUIGL0	KOBUIGO0	KOBUIGP0	KOBUIGS0
KOBUIHL0	KOBUILG0	KOBUILO0	KOBUIMC0	KOBUIMG0	KOBUIML0
KOBUIM10	KOBUIM20	KOBUIM30	KOBUIM40	KOBUIM50	KOBUIM60
KOBUIM70	KOBUINI0	KOBUINV0	KOBUIPA0	KOBUIPS0	KOBUIPT0
KOBUISC0	KOBUISD0	KOBUSERS	KOBXMZPM	KOB70CCU	KOB70CU1
KOB70DFI	KOB70SS1	KOB700CB			

After installing new function, you should perform two operations:

1. Create a backup of the updated data sets, including any SMP/E data sets affected, in case something happens to the data sets during the next phase.
2. Do some testing before putting the new function into production.

After you are satisfied that an applied SYSMOD has performed reliably in your target system, you can install it in your distribution libraries using the ACCEPT process.

Another good practice is to accept most SYSMODs, particularly FMIDs, before performing another APPLY process. This provides you the ability to use the RESTORE process of SMP/E and to support the scenario where SMP/E needs to create a new load module from the distribution libraries during the APPLY process.

## 6.1.11 Perform SMP/E ACCEPT

Edit and submit sample job KDBZ7ACC to perform an SMP/E ACCEPT CHECK for DB2 Buffer Pool Analyzer on z/OS. Consult the instructions in the sample job for more information.

To receive the full benefit of the SMP/E Causer SYSMOD Summary Report, do *not* bypass the PRE, ID, REQ, and IFREQ on the ACCEPT CHECK. The SMP/E root cause analysis identifies the cause of only *errors* but not *warnings* (SMP/E treats bypassed PRE, ID, REQ, and IFREQ conditions as warnings rather than errors).

Before you use SMP/E to load new distribution libraries, it is recommended that you set the ACCJCLIN indicator in the distribution zone. In this way, you can save the entries that are produced from JCLIN in the distribution zone whenever a SYSMOD that contains inline JCLIN is accepted. For more information about the ACCJCLIN indicator, see the description of inline JCLIN in the SMP/E Commands book for details.

### Expected Return Codes and Messages from ACCEPT CHECK: 0

After you take actions that are indicated by the ACCEPT CHECK, remove the CHECK operand and run the job again to perform the ACCEPT.

**Note:** The GROUPEXTEND operand indicates that SMP/E accepts all requisite SYSMODs. The requisite SYSMODS might be applicable to other functions.



If you process a PTF with a ++HOLD statement, you will receive a return code of 4 and the following message when the BYPASS operand is used.

```
GIM42001W THE FOLLOWING CONDITIONS FOR SYSMOD sysmod
          WERE NOT SATISFIED, BUT WERE IGNORED BECAUSE THE
          BYPASS OPERAND WAS SPECIFIED. PROCESSING CONTINUES.
```

If the BYPASS operand is not included in the control statement when processing a PTF with a ++HOLD statement, the job will get a return code of 12 and the following message.

```
GIM30206E command PROCESSING FAILED FOR SYSMOD sysmod.
          HOLD REASON IDS WERE NOT RESOLVED.
```

If PTFs that contain replacement modules are accepted, SMP/E ACCEPT processing will link-edit or bind the modules into the distribution libraries. During this processing, the Linkage Editor or Binder might issue messages that indicate unresolved external references, which will result in a return code of 4 during the ACCEPT phase. You can ignore these messages, because the distribution libraries are not executable and the unresolved external references do not affect the executable system libraries.

#### **Expected Return Codes and Messages from ACCEPT: 4**

Figure 19 on page 27 contains a list of elements that might be marked as not selected during the APPLY and ACCEPT processes. This might occur because a VERSION parameter was supplied in an FMID indicating that it contained a higher level version of the same element provided by another FMID being processed at the same time. The higher version element is selected for processing and the lower version is not selected for processing. It might also occur because maintenance is being installed at the same time as the FMIDs.

---

## **6.2 Activating DB2 Buffer Pool Analyzer on z/OS**

The publication *Buffer Pool Analyzer Configuration Guide, SH12-7030* contains the step-by-step procedures to activate the functions of DB2 Buffer Pool Analyzer on z/OS. This publication can be found online at:

**<http://www.ibm.com/software/data/db2imstools/library.html>**

Select DB2 Tools Publications under Product Publications, which can be found in a panel on the right side of the page. This will take you to a screen where the publications are listed by product. Choose DB2 Buffer Pool Analyzer from the Jump to Product selection box.

---

## 7.0 Notices

References in this document to IBM products, programs, or services do not imply that IBM intends to make these available in all countries in which IBM operates. Any reference to an IBM product, program, or service is not intended to state or imply that only IBM's product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe on any of IBM's intellectual property rights may be used instead of the IBM product, program, or service. Evaluation and verification of operation in conjunction with other products, except those expressly designated by IBM, is the user's responsibility.

APAR numbers are provided in this document to assist in locating PTFs that may be required. Ongoing problem reporting may result in additional APARs being created. Therefore, the APAR lists in this document may not be complete. To obtain current service recommendations and to identify current product service requirements, always contact the IBM Customer Support Center or use S/390 SoftwareXcel to obtain the current "PSP Bucket".

IBM may have patents or pending patent applications covering subject matter in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to the

IBM Director of Licensing  
IBM Corporation  
North Castle Drive  
Armonk, New York 10504-1785  
USA

For online versions of this book, we authorize you to:

- Copy, modify, and print the documentation contained on the media, for use within your enterprise, provided you reproduce the copyright notice, all warning statements, and other required statements on each copy or partial copy.
- Transfer the original unaltered copy of the documentation when you transfer the related IBM product (which may be either machines you own, or programs, if the program's license terms permit a transfer). You must, at the same time, destroy all other copies of the documentation.

You are responsible for payment of any taxes, including personal property taxes, resulting from this authorization.

THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

Some jurisdictions do not allow the exclusion of implied warranties, so the above exclusion may not apply to you.

Your failure to comply with the terms above terminates this authorization. Upon termination, you must destroy your machine readable documentation.

Refer to the KDBNOTE member in the *hilev.TKANPKGI* data set regarding notices required for third party software included in this product.

---

## 7.1 Trademarks

IBM, the IBM logo, and [ibm.com](http://ibm.com) are trademarks or registered trademarks of International Business Machines Corp., registered in many jurisdictions worldwide. Other product and service names might be trademarks of IBM or other companies. A current list of IBM trademarks is available on the Web at "Copyright and trademark information" at [www.ibm.com/legal/copytrade.shtml](http://www.ibm.com/legal/copytrade.shtml).

---

## Contacting IBM Software Support

For support for this or any IBM product, you can contact IBM Software Support in one of the following ways:

Submit a problem management record (PMR) electronically at **IBMSERV/IBMLINK**.

Submit a problem management record (PMR) electronically from the support Web site at:

<http://www.ibm.com/software/sysmgmt/products/support/>

You can also review the *IBM Software Support Handbook*, which is available on the Web site listed above. An *End of Support Matrix* is provided that tells you when products you are using are nearing the end of support date for a particular version or release.

When you contact IBM Software Support, be prepared to provide identification information for your company so that support personnel can readily assist you. Company identification information might also be needed to access various online services available on the Web site.

The support Web site offers extensive information, including a guide to support services (the *IBM Software Support Handbook*); frequently asked questions (FAQs); and documentation for all products, including Release Notes, Redbooks, and Whitepapers. The documentation for some product releases is available in both PDF and HTML formats. Translated documents are also available for some product releases.





Printed in USA

GI19-5010-01

