



**Program Directory for
IBM MQ Advanced for z/OS
Value Unit Edition
Continuous Delivery**

9.4.1

Program Number 5655-AV1

for use with
z/OS

Continuous Delivery release refreshed with PTFs for 9.4.1 function

Document Date: November 2024

GI13-4495-01

Note

Before using this information and the product it supports, be sure to read the general information under 7.0, "Notices" on page 11.

Contents

1.0 Introduction	1
1.1 IBM MQ Advanced VUE Description	2
1.2 IBM MQ Advanced VUE FMIDs	2
2.0 Program Materials	3
2.1 Basic Machine-Readable Material	3
2.2 Program Publications	3
2.2.1 Optional Program Publications	3
2.3 Program Source Materials	3
2.4 Publications Useful During Installation	4
3.0 Program Support	5
3.1 Program Services	5
3.2 Preventive Service Planning	5
3.3 Statement of Support Procedures	5
4.0 Program and Service Level Information	6
4.1 Program Level Information	6
4.2 Service Level Information	6
5.0 Installation Requirements and Considerations	7
5.1 Driving System Requirements	7
5.1.1 Machine Requirements	7
5.1.2 Programming Requirements	7
5.2 Target System Requirements	8
5.2.1 Machine Requirements	8
5.2.2 Programming Requirements	8
5.2.2.1 Installation Requisites	8
5.2.2.2 Operational Requisites	8
5.2.2.3 Toleration/Coexistence Requisites	9
5.2.2.4 Incompatibility (Negative) Requisites	9
5.2.3 DASD Storage Requirements	9
5.3 FMIDs Deleted	9
5.4 Special Considerations	9
5.4.1 SMP/E Considerations	9
6.0 Installation Instructions	10
6.1 Installing IBM MQ Advanced VUE	10
6.2 Activating IBM MQ Advanced VUE	10
7.0 Notices	11
7.1 Trademarks	12

Reader's Comments 13

Figures

1. Publications Useful During Installation 4
2. Program Directories included for component packages 10

1.0 Introduction

IBM MQ Advanced for z/OS VUE 9.4 has two types of release; a Long Term Support (LTS) release and a Continuous Delivery (CD) release. The differences between these two are documented in detail at https://www.ibm.com/docs/SSFKSJ_9.4.0/overview/q004715_.html. This program directory describes installation of the FMIDs associated with the Continuous Delivery release.

This program directory is intended for system programmers who are responsible for program installation and maintenance. It contains information about the material and procedures associated with the installation of IBM MQ Advanced for z/OS VUE. This publication refers to IBM MQ Advanced for z/OS VUE as IBM MQ Advanced VUE.

The Program Directory contains the following sections:

- 2.0, “Program Materials” on page 3 identifies the basic program materials and documentation for IBM MQ Advanced VUE.
- 3.0, “Program Support” on page 5 describes the IBM support available for IBM MQ Advanced VUE.
- 4.0, “Program and Service Level Information” on page 6 lists the APARs (program level) and PTFs (service level) that have been incorporated into IBM MQ Advanced VUE.
- 5.0, “Installation Requirements and Considerations” on page 7 identifies the resources and considerations that are required for installing and using IBM MQ Advanced VUE.
- 6.0, “Installation Instructions” on page 10 provides detailed installation instructions for IBM MQ Advanced VUE. It also describes the procedures for activating the functions of IBM MQ Advanced VUE, or refers to appropriate publications.

Before installing IBM MQ Advanced VUE, read the *CBPDO Memo To Users* and the *CBPDO Memo To Users Extension* that are supplied with this program in softcopy format and this program directory; after which, keep the documents for your reference. Section 3.2, “Preventive Service Planning” on page 5 tells you how to find any updates to the information and procedures in this program directory.

IBM MQ Advanced VUE is supplied in a Custom-Built Product Delivery Offering (CBPDO, 5751-CS3). The program directory that is provided in softcopy format on the CBPDO is identical to the hardcopy format if one was included with your order. All service and HOLDDATA for IBM MQ Advanced VUE are included on the CBPDO.

Do not use this program directory if you install IBM MQ Advanced VUE with a z/OSMF Portable Software Instance (z/OSMF Portable Software Instance (ServerPac)). When you use one of those offerings, use the jobs and documentation supplied with the offering. The offering will point you to specific sections of this program directory as needed.

1.1 IBM MQ Advanced VUE Description

IBM MQ Advanced VUE is a single offering enabling customers to acquire entitlement to IBM MQ Advanced for z/OS and IBM MQ for z/OS Value Unit Edition in a single transaction.

IBM MQ Advanced VUE enables z/OS applications to use message queuing to participate in message-driven processing. With message-driven processing, applications can communicate across different platforms by using the appropriate MQ products. All MQ products implement a common application programming interface whatever platform the applications run on. The calls made by the applications and the messages they exchange are common.

The Managed File Transfer feature of IBM MQ Advanced for z/OS extends IBM MQ for z/OS to allow the transfer of files between systems in a managed and auditable way, regardless of file size or the operating systems used.

The Advanced Message Security feature of IBM MQ Advanced for z/OS extends IBM MQ by enabling messages flowing over IBM MQ to be encrypted so that the message contents remain secure between sending and receiving applications. These applications can be running on z/OS or other supported platforms and the applications do not require changing to make use of the capabilities of the Advanced Message Security feature.

IBM MQ Advanced for z/OS also includes a Connector Pack component containing:

- The IBM Aspera faspio Gateway, which can be used to improve the throughput of message channels over high latency, lossy networks.
- IBM supported, Kafka Connect source and sink connectors for IBM MQ, which can be used to transfer data between IBM MQ and Apache Kafka.

If you are installing IBM MQ Advanced VUE into a new environment it is not necessary to install the Connector Pack component unless you want to use either the faspio Gateway or the Kafka Connectors.

1.2 IBM MQ Advanced VUE FMIDs

IBM MQ Advanced VUE consists of the following FMIDs:

HMS9CD0
JMS9CD1
JMS9CD2
JMS9CD3
JMS9CD4
JMS9CD5
JMS9CD6
JMS9CD7
JMS9CD8
HAV9CD0

2.0 Program Materials

An IBM program is identified by a program number. The program number for IBM MQ Advanced VUE is 5655-AV1.

Basic Machine-Readable Materials are materials that are supplied under the base license and are required for the use of the product.

The program announcement material describes the features supported by IBM MQ Advanced VUE. Ask your IBM representative for this information if you have not already received a copy.

2.1 Basic Machine-Readable Material

The distribution medium for this program is physical media or downloadable files. This program is in SMP/E RELFILE format and is installed by using SMP/E. See 6.0, "Installation Instructions" on page 10 for more information about how to install the program.

You can find information about the physical media for the basic machine-readable materials for IBM MQ Advanced VUE in the *CBPDO Memo To Users Extension*.

2.2 Program Publications

The following sections identify the basic publications for IBM MQ Advanced VUE which can be found at **IBM Products documentation** <https://www.ibm.com/docs/en/products> and by direct links below.

IBM Documentation for IBM MQ Advanced VUE: https://www.ibm.com/docs/SSFKSJ_9.4.0.

IBM MQ Advanced for z/OS VUE 9.4 PDF files for product documentation and Program Directories: https://www.ibm.com/docs/SSFKSJ_9.4.0/overview/q001040_.html.

IBM MQ Advanced for z/OS VUE 9.4 License Information document is available from IBM Terms. To access the license use a web browser with internet access to navigate to: <https://www.ibm.com/support/customer/csol/terms/?cat=software-licence> and search for GC34-7491.

2.2.1 Optional Program Publications

No optional publications are provided for IBM MQ Advanced VUE.

2.3 Program Source Materials

No program source materials or viewable program listings are provided for IBM MQ Advanced VUE.

2.4 Publications Useful During Installation

You might want to use the publications listed in Figure 1 on page 4 during the installation of IBM MQ Advanced VUE which can be found at **IBM Products documentation** <https://www.ibm.com/docs/en/products> .

Additionally, IBM MQ Advanced VUE 9.4.1 documentation is published in IBM Documentation, which can be viewed from a web browser with Internet access at https://www.ibm.com/docs/SSFKSJ_9.4.0.

<i>Figure 1. Publications Useful During Installation</i>
Publication
<i>IBM SMP/E for z/OS User's Guide</i>
<i>IBM SMP/E for z/OS Reference</i>
<i>IBM SMP/E for z/OS Commands</i>
<i>IBM SMP/E for z/OS Messages, Codes, and Diagnosis</i>

Note: These publications can be found in IBM Documentation. Use a web browser with internet access to refer to: <https://www.ibm.com/docs/en/zos/3.1.0?topic=zos-smpe>

3.0 Program Support

This section describes the IBM support available for IBM MQ Advanced VUE.

3.1 Program Services

Contact your IBM representative for specific information about available program services.

3.2 Preventive Service Planning

Before you install IBM MQ Advanced VUE, make sure that you review the PSP bucket information for IBM Z products document <https://www.ibm.com/support/pages/node/7127792>. It contains the latest information concerning the installation of IBM products, including the latest service recommendations and cross-product dependencies. This information was previously available in traditional PSP buckets, which are no longer published for IBM Z products.

For support, access the Software Support Website at <https://www.ibm.com/mysupport/>

3.3 Statement of Support Procedures

Report any problems which you feel might be an error in the product materials to your IBM Support Center. You may be asked to gather and submit additional diagnostics to assist the IBM Support Center in their analysis.

The Program Directories for IBM MQ for z/OS Value Unit Edition (G113-4493) and IBM MQ Advanced for z/OS (G113-4494) identify the component IDs (COMPID) for IBM MQ Advanced for z/OS VUE.

4.0 Program and Service Level Information

This section identifies the program and relevant service levels of IBM MQ Advanced VUE. The program level refers to the APAR fixes that have been incorporated into the program. The service level refers to the PTFs that have been incorporated into the program.

4.1 Program Level Information

The Program Directories for IBM MQ for z/OS Value Unit Edition (G113-4493) and IBM MQ Advanced for z/OS (G113-4494) identify the APARs for IBM MQ Advanced for z/OS VUE.

4.2 Service Level Information

No PTFs against this release of IBM MQ Advanced VUE have been incorporated into the product package.

5.0 Installation Requirements and Considerations

The following sections identify the system requirements for installing and activating IBM MQ Advanced VUE. The following terminology is used:

- *Driving system*: the system on which SMP/E is executed to install the program.

The program might have specific operating system or product level requirements for using processes, such as binder or assembly utilities during the installation.

- *Target system*: the system on which the program is configured and run.

The program might have specific product level requirements, such as needing access to the library of another product for link-edits. These requirements, either mandatory or optional, might directly affect the element during the installation or in its basic or enhanced operation.

In many cases, you can use a system as both a driving system and a target system. However, you can make a separate IPL-able clone of the running system to use as a target system. The clone must include copies of all system libraries that SMP/E updates, copies of the SMP/E CSI data sets that describe the system libraries, and your PARMLIB and PROCLIB.

Use separate driving and target systems in the following situations:

- When you install a new level of a product that is already installed, the new level of the product will replace the old one. By installing the new level onto a separate target system, you can test the new level and keep the old one in production at the same time.
- When you install a product that shares libraries or load modules with other products, the installation can disrupt the other products. By installing the product onto a separate target system, you can assess these impacts without disrupting your production system.

5.1 Driving System Requirements

This section describes the environment of the driving system required to install IBM MQ Advanced VUE.

5.1.1 Machine Requirements

See the Program Directories for IBM MQ Advanced for z/OS (G113-4494) and IBM MQ for z/OS Value Unit Edition (G113-4493) for details of the individual products' driving system requirements.

5.1.2 Programming Requirements

See the Program Directories for IBM MQ Advanced for z/OS (G113-4494) and IBM MQ for z/OS Value Unit Edition (G113-4493) for details of the individual products' programming requirements.

5.2 Target System Requirements

This section describes the environment of the target system required to install and use IBM MQ Advanced VUE.

See the Program Directories for IBM MQ Advanced for z/OS (GI13-4494) and IBM MQ for z/OS Value Unit Edition (GI13-4493) for details of the individual products' target system requirements.

5.2.1 Machine Requirements

See the Program Directories for IBM MQ Advanced for z/OS (GI13-4494) and IBM MQ for z/OS Value Unit Edition (GI13-4493) for details of the individual products' machine requirements.

5.2.2 Programming Requirements

5.2.2.1 Installation Requisites

Installation requisites identify products that are required and *must* be present on the system or products that are not required but *should* be present on the system for the successful installation of this product.

Mandatory installation requisites identify products that are required on the system for the successful installation of this product. These products are specified as PREs or REQs.

See the Program Directories for IBM MQ Advanced for z/OS (GI13-4494) and IBM MQ for z/OS Value Unit Edition (GI13-4493) for details of the individual products' installation requisites.

Conditional installation requisites identify products that are *not* required for successful installation of this product but can resolve such things as certain warning messages at installation time. These products are specified as IF REQs.

See the Program Directories for IBM MQ Advanced for z/OS (GI13-4494) and IBM MQ for z/OS Value Unit Edition (GI13-4493) for details of the individual products' conditional installation requisites.

5.2.2.2 Operational Requisites

Operational requisites are products that are required and *must* be present on the system or products that are not required but *should* be present on the system for this product to operate all or part of its functions.

Mandatory operational requisites identify products that are required for this product to operate its basic functions.

See the Program Directories for IBM MQ Advanced for z/OS (GI13-4494) and IBM MQ for z/OS Value Unit Edition (GI13-4493) for details of the individual products' mandatory operational requisites.

Conditional operational requisites identify products that are *not* required for this product to operate its basic functions but are required at run time for this product to operate specific functions. These products are specified as IF REQs.

See the Program Directories for IBM MQ Advanced for z/OS (G113-4494) and IBM MQ for z/OS Value Unit Edition (G113-4493) for details of the individual products' conditional operational requisites.

5.2.2.3 Toleration/Coexistence Requisites

Toleration/coexistence requisites identify products that must be present on sharing systems. These systems can be other systems in a multisystem environment (not necessarily sysplex), a shared DASD environment (such as test and production), or systems that reuse the same DASD environment at different time intervals.

See the Program Directories for IBM MQ Advanced for z/OS (G113-4494) and IBM MQ for z/OS Value Unit Edition (G113-4493) for details of the individual products' toleration/coexistence requisites.

5.2.2.4 Incompatibility (Negative) Requisites

Negative requisites identify products that must *not* be installed on the same system as this product.

See the Program Directories for IBM MQ Advanced for z/OS (G113-4494) and IBM MQ for z/OS Value Unit Edition (G113-4493) for details of the individual products' incompatibility (negative) requisites.

5.2.3 DASD Storage Requirements

See the Program Directories for IBM MQ Advanced for z/OS (G113-4494) and IBM MQ for z/OS Value Unit Edition (G113-4493) for details of the individual products' DASD storage requirements.

5.3 FMIDs Deleted

See the Program Directories for IBM MQ Advanced for z/OS (G113-4494) and IBM MQ for z/OS Value Unit Edition (G113-4493) for details of the FMIDs deleted by the individual products.

5.4 Special Considerations

See the Program Directories for IBM MQ Advanced for z/OS (G113-4494) and IBM MQ for z/OS Value Unit Edition (G113-4493) for details of the individual products' special considerations for the target system.

5.4.1 SMP/E Considerations

See the Program Directories for IBM MQ Advanced for z/OS (G113-4494) and IBM MQ for z/OS Value Unit Edition (G113-4493) for details of the individual products' SMP/E considerations.

6.0 Installation Instructions

This chapter describes the installation method and the step-by-step procedures to install and to activate the functions of IBM MQ Advanced VUE.

Please note the following points:

- You can use the sample jobs that are provided to perform part or all of the installation tasks. The SMP/E jobs assume that all DDDEF entries that are required for SMP/E execution have been defined in appropriate zones.
- You can use the SMP/E dialogs instead of the sample jobs to accomplish the SMP/E installation steps.

6.1 Installing IBM MQ Advanced VUE

The installation of IBM MQ Advanced VUE is effected by installing the IBM MQ Advanced for z/OS and IBM MQ for z/OS Value Unit Edition packages included in this offering.

Follow the installation instructions in the relevant Program Directory to install each package. Included Program Directories are listed in Figure 2.

Figure 2. Program Directories included for component packages

Included Component	Program Directory Number
IBM MQ for z/OS	GI13-4492
IBM MQ Advanced for z/OS	GI13-4494
IBM MQ for z/OS Value Unit Edition	GI13-4493

6.2 Activating IBM MQ Advanced VUE

See the Program Directories for IBM MQ Advanced for z/OS (GI13-4494) and IBM MQ for z/OS Value Unit Edition (GI13-4493) for details of activating the individual products.

7.0 Notices

This information was developed for products and services offered in the U.S.A. IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

APAR numbers are provided in this document to assist in locating PTFs that may be required. Ongoing problem reporting may result in additional APARs being created. Therefore, the APAR lists in this document may not be complete. To obtain current service recommendations and to identify current product service requirements, always refer to the instructions in the **Service Recommendation Summary and Service Recommendations** and **Cross Product Dependencies** sections of the **PSP bucket information for IBM Z products** at <https://www.ibm.com/support/pages/node/7127792>, to ensure you have all required service.

IBM may have patents or pending patent applications covering subject matter in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to the

IBM Director of Licensing
IBM Corporation
North Castle Drive
Armonk, New York 10504-1785
USA

For license inquiries regarding double-byte (DBCS) information, contact the IBM Intellectual Property Department in your country or send inquiries, in writing, to:

Intellectual Property Licensing
Legal and Intellectual Property Law
IBM Japan, Ltd.
19-21, Nihonbashi-Hakozakicho, Chuo-ku
Tokyo 103-8510, Japan

7.1 Trademarks

IBM, the IBM logo, Aspera, ibm.com, IBM Z, and z/OS are trademarks or registered trademarks of International Business Machines Corporation, in the United States and/or other countries. Other product and service names might be trademarks of IBM or other companies. A current list of IBM trademarks is available on ibm.com/trademark.

Reader's Comments

Program Directory for IBM MQ Advanced for z/OS VUE, November 2024

We appreciate your input on this publication. Feel free to comment on the clarity, accuracy, and completeness of the information or give us any other feedback that you might have.

Send your comments by emailing us at ibmdocs@us.ibm.com, and include the following information:

- Your name and address
- Your email address
- Your telephone or fax number
- The publication title and order number
- The topic and page number related to your comment
- The text of your comment

When you send information to IBM, you grant IBM a nonexclusive right to use or distribute the information in any way it believes appropriate without incurring any obligation to you.

IBM or any other organizations will only use the personal information that you supply to contact you about the issues that you submit.

Thank you for your participation.



Printed in Ireland

GI13-4495-01

