

Enterprise COBOL for z/OS



# Licensed Program Specifications

*Version 6.1*



Enterprise COBOL for z/OS



# Licensed Program Specifications

*Version 6.1*

**First edition**

This edition applies to Version 6 Release 1 of IBM Enterprise COBOL for z/OS (program number 5655-EC6) and to all subsequent releases and modifications until otherwise indicated in new editions. Make sure that you are using the correct edition for the level of the product.

© **Copyright IBM Corporation 1991, 2016.**

US Government Users Restricted Rights – Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

---

# Contents

<b>Chapter 1. Overview</b>	<b>1</b>
Version 6.1 features	1
<b>Chapter 2. Specified operating environment for Enterprise COBOL</b>	<b>3</b>
Hardware requirements	3
Software requirements	3
Required licensed programs	3
Optional licensed programs for z/OS	3
<b>Chapter 3. Industry standards supported by Enterprise COBOL V6.1</b>	<b>7</b>
ISO standards	7
American National standards	7
<b>Chapter 4. Compatibility with previous product releases</b>	<b>11</b>
<b>Chapter 5. Security, auditability, and control</b>	<b>13</b>
<b>Chapter 6. Licensed program materials availability</b>	<b>15</b>
<b>Chapter 7. Supplemental terms</b>	<b>17</b>
Designated Machine Identification	17

Testing period	17
Installation or location license	17
Usage restriction	17
Type and duration of program services	17
Authorization for copy and use on home or portable computer	17
Softcopy publications	17

<b>Chapter 8. Notices and information for supported standards</b>	<b>19</b>
zlib V1.1.4	19
W3C(R) DOCUMENT LICENSE	19
W3C(R) SOFTWARE NOTICE AND LICENSE	21

<b>Chapter 9. Warranty</b>	<b>23</b>
----------------------------	-----------

<b>Chapter 10. Trademarks</b>	<b>25</b>
-------------------------------	-----------



---

## Chapter 1. Overview

IBM® Enterprise COBOL for z/OS® is a leading-edge, z/OS-based compiler that helps you create and maintain mission-critical, line-of-business COBOL applications to execute on your z/OS systems. Enterprise COBOL for z/OS continues to give you access to CICS®, DB2®, IMS™, and other transactional and data systems.

---

### Version 6.1 features

Enterprise COBOL for z/OS, V6.1 introduces the following new features and enhancements:

- Increased compiler capacity so you can compile large programs
- Support for generation of JSON texts
- New and changed COBOL statements for increased functionality
- New and changed COBOL options for increased flexibility
- Changed application programming interfaces (APIs) in the Language Environment® (LE) vendor interface
- Performance tuning for a number of COBOL statements





---

## Chapter 2. Specified operating environment for Enterprise COBOL

This section lists the hardware and software requirements for IBM Enterprise COBOL for z/OS, V6.1.

---

### Hardware requirements

Enterprise COBOL for z/OS, V6.1 runs on the following IBM z Systems™ servers:

- z13™ or z13s
- zEnterprise® EC12 or zEnterprise BC12
- zEnterprise 196 or zEnterprise 114
- z10™ Enterprise Class or z10 Business Class
- z9® Enterprise Class or z9 Business Class

---

### Software requirements

Enterprise COBOL for z/OS, V6.1 runs under the control of, or in conjunction with, the currently supported releases of the following programs and their subsequent releases or their equivalents.

For more information on the following programs listed that require program temporary fixes (PTFs), see the *Enterprise COBOL Program Directory* and the preventive service planning (PSP) bucket.

---

### Required licensed programs

Enterprise COBOL and its generated object programs run under z/OS V2.1 (5650-ZOS), or later operating systems.

Language Environment provides the execution environment and library of COBOL runtime services required to compile and run COBOL applications using Enterprise COBOL. z/OS Language Environment V2.1 with required PTF is required.

For installation on z/OS, z/OS SMP/E is required.

For customization during or after installation, z/OS High Level Assembler is required.

Enterprise COBOL XML PARSE statements in programs that are compiled with the XMLPARSE(XMLSS) compiler option require z/OS XML Systems Services V2.1.

---

### Optional licensed programs for z/OS

Support for applications using object-oriented COBOL syntax for Java™ interoperability requires one of the following:

- IBM 31-bit SDK for z/OS, Java Technology Edition V8.0 (5655-DGG)
- IBM 31-bit SDK for z/OS, Java Technology Edition V7.0 (5655-W43)
- IBM 31-bit SDK for z/OS, Java Technology Edition V6.0 (5655-R31)

Support for DB2 integrated coprocessor (SQL compiler option) requires one of the following:

- IBM DB2 11 for z/OS (5615-DB2)
- IBM DB2 10 for z/OS (5605-DB2)

Support for the integrated CICS translator (CICS compiler option) requires one of the following:

- IBM CICS Transaction Server (CICS TS) for z/OS V5 (5655-Y04)
- IBM CICS TS for z/OS V4 (5655-S97)

Including CICS options in effect as part of the COBOL listing requires one of the following:

- IBM CICS Transaction Server for z/OS V5 (5655-Y04)
- IBM CICS TS for z/OS V4.1 (5655-S97) and PTFs for APAR PK89224

For sorting and merging, you must use the following feature of z/OS, or an equivalent product:

- IBM DFSORT element of z/OS V2 (5650-ZOS)

Programs with Report Writer statements require:

- COBOL Report Writer Release 4 (5798-DYR, 5798-DZX)

Enterprise COBOL for z/OS, V6.1 runs with the currently supported releases of the following programs:

- IBM CICS Transaction Server (CICS TS) for z/OS V5 (5655-Y04)
- IBM CICS TS for z/OS Value Unit Edition V5 (5722-DFJ)
- IBM CICS TS for z/OS V4 (5655-S97)
- IBM DB2 11 for z/OS (5615-DB2)
- IBM DB2 11 for z/OS Value Unit Edition (5697-P43)
- IBM DB2 10 for z/OS (5605-DB2)
- IBM DB2 10 for z/OS Value Unit Edition (5697-P31)
- IBM IMS V13 (5635-A04)
- IBM IMS Transaction Manager Value Unit Edition V13 (5655-TM2)
- IBM IMS Database Value Unit Edition V13 (5655-DSM)
- IBM IMS V12 (5635-A03)
- IBM IMS Transaction Manager Value Unit Edition V12 (5655-TM1)
- IBM IMS Database Value Unit Edition V12 (5655-DSQ)
- IBM High Level Assembler/MVS and VM and VSE (5696-234)
- z/OS V2.1 Client Web Enablement Toolkit (5650-ZOS - APAR Number OA46575)
- IBM Debug Tool for z/OS V13.1 (5655-Q10)
- IBM Fault Analyzer for z/OS V13.1 (5655-Q11)
- IBM File Manager for z/OS V13.1 (5655-Q12)
- IBM Application Performance Analyzer for z/OS V13.1 (5655-Q09)
- IBM Rational® Developer for System z®, V9.5 (5724-T07)
- COBOL Report Writer Release 4 (5798-DYR, 5798-DZX)
- Enterprise COBOL for z/OS, V5 (5655-W32)
- Enterprise COBOL for z/OS, V4 (5655-S71)
- Enterprise PL/I for z/OS, V4 (5655-W67)

- Enterprise PL/I for z/OS, V3 (5655-H31)
- IBM VS FORTRAN V2 (5668-806, 5668-087)
- For XL C/C++ with Enterprise COBOL - You must use the XL C/C++ feature of z/OS V2.1 (5650-ZOS), or later



---

## Chapter 3. Industry standards supported by Enterprise COBOL V6.1

Enterprise COBOL supports the following industry standards.

---

### ISO standards

ISO 1989:1985, Programming Languages - COBOL.

ISO/IEC 1989/AMD1:1992, Programming Languages - COBOL: Intrinsic function module.

ISO/IEC 1989/AMD2:1994, Programming Languages - Correction and clarification amendment for COBOL.

ISO/IEC 1989:2002, Information technology - Programming languages - COBOL (partial support)

ISO 1989:1985 is identical to ANSI INCITS 23-1985 (R2001), Programming Languages - COBOL.

ISO/IEC 1989/AMD1:1992 is identical to ANSI INCITS 23a-1989 (R2001), Programming Languages - Intrinsic Function Module for COBOL.

ISO/IEC 1989/AMD2:1994 is identical to ANSI INCITS 23b-1993, Programming Language - Correction Amendment for COBOL.

ISO/IEC 1989:2002 is identical to ANSI INCITS 1989-2002 (R2013), Information technology - Programming languages COBOL

For supported modules, see American National Standards below.

International Reference Version of the ISO 7-bit code defined in *International Standard 646, 7-Bit Coded Character Set for Information Interchange*.

---

### American National standards

ANSI INCITS 23-1985 (R2001), Programming Languages - COBOL.

ANSI INCITS 23a-1989 (R2001), Programming Languages - Intrinsic Function Module for COBOL.

ANSI INCITS 23b-1993 (R2001), Programming Language - Correction Amendment for COBOL.

ANSI INCITS 1989-2002 (R2013), Information technology - Programming languages COBOL (partial support)

ANSI INCITS 1989-2014, Information technology - Programming languages, their environments and system software interfaces - Programming language COBOL (partial support)

The 7-bit coded character set defined in American National Standard X3.4-1977, Code for Information Interchange.

All required modules are supported at the highest level defined by the 85 COBOL Standard. In the following list, the shorthand notation for describing module levels is shown in parentheses. For example, to summarize module information for sequential input and output, the shorthand notation is (2 SEQ 1,2). The first digit indicates the level of language elements within the module supported by Enterprise COBOL. Next is the three-character abbreviation of the module name as used in the standard. Finally, the two digits separated by a comma indicate the minimum and maximum levels of the module. For example, (2 SEQ 1,2) means that Enterprise COBOL supports the sequential I-O module at level 2, while the range of levels in the module is from 1 (minimum) to 2 (maximum).

- Nucleus (2 NUC 1,2)  
Provides internal processing of data within the four basic divisions of a program and the capability for defining and accessing tables.
- Sequential I-O (2 SEQ 1,2)  
Provides access to records of a file in established sequence. The sequence is established as a result of writing the records to the file.
- Relative I-O (2 REL 0,2)  
Provides access to records in either a random or sequential manner. Each record is uniquely identified by an integer specifying the record's logical position in a file.
- Indexed I-O (2 INX 0,2)  
Provides access to records in either a random or sequential manner. Each record in an indexed file is uniquely identified by the value of a key within that record.
- Sort-Merge (1 SRT 0,1)  
Orders one or more files of records, or combines two or more identically ordered files of records, according to a set of user-specified keys.
- Inter-Program Communication (2 IPC 1,2)  
Allows a COBOL program to communicate with other programs through transfers of control and access to common data items.
- Source Text Manipulation (2 STM 0,2)  
Allows the insertion of source program text as part of the compilation of the source program. COBOL libraries contain texts which are available to the compiler at compile time and which can be treated by the compiler as part of the source program.

In addition, the following optional modules of the standard are supported:

- Intrinsic Functions (1 ITR 0,1)  
Provides the capability to reference a data item whose value is derived automatically at the time of reference during the execution of the object program.
- Debug (1 DEB 0,2)  
Monitors object program execution through declarative procedures, special debugging lines, and a special register, DEBUG-ITEM, which gives specific information about execution status.
- Segmentation (2 SEG 0,2)  
Refreshes independent segments when required.

The following optional module of the standard is supported with the optional IBM COBOL Report Writer Precompiler (5798-DYR):

- Report Writer

The following optional modules of the standard are not supported:

- Communications
- Debug (2 DEB 0,2)

**Restrictions:** Enterprise COBOL has the following restrictions related to industry standards:

- OPEN EXTEND is not supported for ASCII encoded tapes (CODESET STANDARD-1 or STANDARD-2).
- When division by zero occurs in an arithmetic expression and an ON SIZE ERROR phrase is not specified, processing abnormally terminates.
- File status 97 is an informational file status value that represents successful completion of an OPEN statement, rather than an unsuccessful completion as is normally the case for 9x file status values in the 85 COBOL Standard.





---

## Chapter 4. Compatibility with previous product releases

### Compatibility, coexistence, and migration

Enterprise COBOL for z/OS, V6.1 provides a high level of source compatibility, object compatibility, and runtime environment compatibility with prior versions of IBM COBOL.

Enterprise COBOL for z/OS, V6.1 is source compatible with earlier versions of IBM COBOL. This means that the compiler will compile correct COBOL source programs that were developed using Enterprise COBOL V5, Enterprise COBOL V4, or earlier, with the exception of obsolete functions that were removed and the addition of new reserved words. The removed functions include obsolete COBOL language syntax and obsolete compiler options. Complete details on removed obsolete functions are documented in the *Enterprise COBOL for z/OS Version 6.1 Migration Guide*. IBM does not expect that many applications will be affected by the removed functions, which in practice are no longer heavily used. To assist in migration, a new compiler option FLAGMIG is added to Enterprise COBOL V4.2 through the service stream. This option delivers warning diagnostics to flag use of obsolete syntax and options in existing COBOL programs.

Enterprise COBOL for z/OS, V6.1 is object compatible with earlier versions of IBM COBOL, in that applications can be constructed by using a mixture of object modules that are compiled with Version 6.1 and those compiled with earlier versions. Both static calls (calls within a link-edited module) and dynamic calls (calls between programs link-edited as separate modules) can be used. The following are exceptions:

- Interoperation with object modules that are compiled with OS/VS COBOL (5740-CB1) is no longer supported.
- Interoperation with object modules that are compiled with VS COBOL II (5688-958) is limited to programs compiled with the RES compiler option. Interoperation with VS COBOL II programs that are compiled with the NORES option is no longer supported.

Enterprise COBOL for z/OS, V6.1 is runtime compatible with earlier versions of IBM COBOL. This means that COBOL programs using valid data will continue to produce the same runtime results after being recompiled with Enterprise COBOL for z/OS, V6.1. A small number of exception cases are documented in the *Enterprise COBOL for z/OS Version 6.1 Migration Guide*.



---

## Chapter 5. Security, auditability, and control

The announced program uses the security and auditability features of the host operating system software. The customer is responsible for evaluation, selection and implementation of security features, administrative procedures, and appropriate controls in application systems and communication facilities.



---

## Chapter 6. Licensed program materials availability

Restricted materials - No. This licensed program is available without source licensed program materials. It is available in object code only.



---

## Chapter 7. Supplemental terms

---

### Designated Machine Identification

Designated Machine Identification required: Yes.

---

### Testing period

- Basic License: Not applicable.
  - DSLO License: Not applicable.
- 

### Installation or location license

Not applicable. A separate license is required for each machine on which the licensed program will be used.

---

### Usage restriction

Not applicable.

---

### Type and duration of program services

- Central Service.
  - Until discontinued by IBM with a minimum of six months' written notice.
- 

### Authorization for copy and use on home or portable computer

Not applicable.

---

### Softcopy publications

Enterprise COBOL licenses may include licensed publications in displayable or source form. Except as provided in this section, the terms and conditions of the license agreement with IBM apply to these publications and to any copies that are made from them.

The licensed publications may be used in displayable or source form on all machines designated for this program. The licensed publications may also be copied and used on other machines in support of authorized use of Enterprise COBOL.

To support authorized use of Enterprise COBOL, printed copies of the displayable or source material may be made if the copyright notice and any other legend of ownership is reproduced on each copy or partial copy.





---

## Chapter 8. Notices and information for supported standards

---

### zlib V1.1.4

zlib was obtained by IBM under the following terms and conditions:

Copyright notice:

(C) 1995-2002 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly  
jloup@gzip.org

Mark Adler  
madler@alumni.caltech.edu

If you use the zlib library in a product, we would appreciate \*not\* receiving lengthy legal documents to sign. The sources are provided for free but without warranty of any kind. The library has been entirely written by Jean-loup Gailly and Mark Adler; it does not include third-party code.

If you redistribute modified sources, we would appreciate that you include in the file ChangeLog history information documenting your changes.

---

### W3C(R) DOCUMENT LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231>

Public documents on the W3C site are provided by the copyright holders under the following license. By using and/or copying this document, or the W3C document from which this statement is linked, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions:

Permission to copy, and distribute the contents of this document, or the W3C document from which this statement is linked, in any medium for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the document, or portions thereof, that you use:

1. A link or URL to the original W3C document.

2. The pre-existing copyright notice of the original author, or if it doesn't exist, a notice (hypertext is preferred, but a textual representation is permitted) of the form: "Copyright (©) [\$date-of-document] World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University). All Rights Reserved.  
<http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231>"
3. If it exists, the STATUS of the W3C document:
  - a. Extensible Markup Language (XML) 1.0
  - b. <http://www.w3.org/TR/REC-xml/>
  - c. Copyright © 2008 W3C (MIT, ERCIM, Keio), All Rights Reserved.
  - d. Status: This document specifies a syntax created by subsetting an existing, widely used international text processing standard (Standard Generalized Markup Language, ISO 8879:1986(E) as amended and corrected) for use on the World Wide Web. It is a product of the XML Core Working Group as part of the XML Activity. The English version of this specification is the only normative version. However, for translations of this document, see <http://www.w3.org/2003/03/Translations/byTechnology?technology=xml>.

This document is a W3C Recommendation. This fifth edition is not a new version of XML. As a convenience to readers, it incorporates the changes dictated by the accumulated errata (available at <http://www.w3.org/XML/xml-V10-4e-errata>) to the Fourth Edition of XML 1.0, dated 16 August 2006. In particular, erratum [E09] relaxes the restrictions on element and attribute names, thereby providing in XML 1.0 the major end user benefit currently achievable only by using XML 1.1. As a consequence, many possible documents which were not well-formed according to previous editions of this specification are now well-formed, and previously invalid documents using the newly-allowed name characters in, for example, ID attributes, are now valid.

This edition supersedes the previous W3C Recommendation of 16 August 2006.

Please report errors in this document to the public [xml-editor@w3.org](mailto:xml-editor@w3.org) mail list; public archives are available. For the convenience of readers, an XHTML version with color-coded revision indicators is also provided; this version highlights each change due to an erratum published in the errata list for the previous edition, together with a link to the particular erratum in that list. Most of the errata in the list provide a rationale for the change. The errata list for this fifth edition is available at <http://www.w3.org/XML/xml-V10-5e-errata>.

An implementation report is available at <http://www.w3.org/XML/2008/01/xml10-5e-implementation.html>. A Test Suite is maintained to help assessing conformance to this specification.

This document has been reviewed by W3C Members, by software developers, and by other W3C groups and interested parties, and is endorsed by the Director as a W3C Recommendation. It is a stable document and may be used as reference material or cited from another document. W3C's role in making the Recommendation is to draw attention to the specification and to promote its widespread deployment. This enhances the functionality and interoperability of the Web.

W3C maintains a public list of any patent disclosures made in connection with the deliverables of the group; that page also includes instructions for disclosing a

patent. An individual who has actual knowledge of a patent which the individual believes contains Essential Claim(s) must disclose the information in accordance with section 6 of the W3C Patent Policy.

When space permits, inclusion of the full text of this NOTICE should be provided. We request that authorship attribution be provided in any software, documents, or other items or products that you create pursuant to the implementation of the contents of this document, or any portion thereof.

No right to create modifications or derivatives of W3C documents is granted pursuant to this license. However, if additional requirements (documented in the Copyright FAQ) are satisfied, the right to create modifications or derivatives is sometimes granted by the W3C to individuals complying with those requirements.

THIS DOCUMENT IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THE DOCUMENT ARE SUITABLE FOR ANY PURPOSE; NOR THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE DOCUMENT OR THE PERFORMANCE OR IMPLEMENTATION OF THE CONTENTS THEREOF.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to this document or its contents without specific, written prior permission. Title to copyright in this document will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, moves information on style sheets, DTDs, and schemas to the Copyright FAQ, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". See the older formulation for the policy prior to this date. Please see our Copyright FAQ for common questions about using materials from our site, such as the translating or annotating specifications. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

---

## W3C(R) SOFTWARE NOTICE AND LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby

granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31, 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

---

## Chapter 9. Warranty

This program is warranted as specified in the IBM license.

Licensed Program Specifications may be updated from time to time and such updates may constitute a change in specifications.

For Distributed Systems License Option (DSLO) Licenses, warranty service, if any, will be provided only through the Basic License location.

Following the discontinuance of all program services, this program will be provided "As Is" as specified in the IBM license.



---

## Chapter 10. Trademarks

IBM, the IBM logo, and [ibm.com](http://ibm.com)<sup>®</sup> are trademarks or registered trademarks of International Business Machines Corp., registered in many jurisdictions worldwide. Other product and service names might be trademarks of IBM or other companies. A current list of IBM trademarks is available on the Web at “Copyright and trademark information” at [www.ibm.com/legal/copytrade.shtml](http://www.ibm.com/legal/copytrade.shtml).

Java and all Java-based trademarks and logos are trademarks or registered trademarks of Oracle and/or its affiliates.

Other product and service names might be trademarks of IBM or other companies.









Product Number: 5655-EC6

Printed in USA

GI13-4532-00

