

Licensed Program Specifications

Enterprise COBOL for z/OS™ Version 3 Release 3 Program Number 5655-G53

IBM Enterprise COBOL for z/OS provides COBOL functions that integrate COBOL applications with Web-oriented business processes. With the capabilities of this release, developers can:

- Promote the exchange and use of data in standardized formats including XML and Unicode™.
- Utilize new debugging functions in IBM Debug Tool.
- Take advantage of new features planned to be available with DB2® Universal Database for z/OS, Version 8.
- Enable interoperability with Java™ when an application runs in an IMS™ Java dependent region.
- Simplify the componentization of COBOL programs and enable interoperability with Java components across distributed applications.

With Enterprise COBOL, COBOL and Java applications can interoperate in the e-business world.

Specified operating environment Machine requirements

Enterprise COBOL and its compiled object programs can run on any IBM zSeries® processor supported by the operating systems listed under “Programming Requirements.”

IBM devices supported by VSAM and QSAM on the above systems can be used with object programs produced by Enterprise COBOL.

When the ARITH(EXTEND) compiler option is in effect, the ESA/390 HFP-extensions package is required for application execution. This package includes support for additional hexadecimal floating-point instructions and provides 16 (rather than four) floating-point registers. Support for this capability is available in G5 or later processors, or through the software emulation provided in z/OS and OS/390®.

The software emulation is not recommended for a production environment.

Programming requirements

Enterprise COBOL runs under the control of, or in conjunction with, the following IBM licensed programs and their subsequent releases unless otherwise announced by IBM.

For information about programs listed below that mention the need to apply program temporary fixes (PTFs), see the Enterprise COBOL program directory.

Required licensed programs

Enterprise COBOL and its generated object programs run under the following zSeries operating systems:

- z/OS, Version 1 Release 1 (5694-A01) or later
- OS/390, Version 2 Release 10 (5647-A01)

Language Environment® provides the execution environment and library of COBOL run-time services required to compile and run COBOL applications using Enterprise COBOL:

- On z/OS, Version 1 Release 1: z/OS Language Environment element plus PTFs for APAR PQ80358
- On z/OS, Version 1 Release 2: z/OS Language Environment element plus PTFs for APAR PQ80358
- On z/OS, Version 1 Release 3: z/OS Language Environment element plus PTFs for APAR PQ80358
- On z/OS, Version 1 Release 4: z/OS hypheLanguage Environment element plus PTFs for APAR PQ80358
- On OS/390, Version 2 Release 10: OS/390 Language Environment element plus PTFs for APAR PQ80358

Support for object-oriented COBOL syntax (Java interoperability) requires:

- IBM Developer Kit for OS/390, Java 2 Technology Edition, SDK 1.3.1 or later, when executing in an IMS Java environment.
- IBM Developer Kit for OS/390, Java 2 Technology Edition, SDK 1.3.0 or later, in other environments.

For installation on z/OS, the following is required:

- z/OS SMP/E element

For installation on OS/390, the following is required:

- OS/390 SMP/E element

One of the following is required for customization during or after installation:

- z/OS High Level Assembler
- OS/390 High Level Assembler

Support for Unicode requires:

- For z/OS, Release 2 or later: FMID HUN7707 must be installed and configured on your target system. Unicode Conversion Services (HUN7707) is an optional feature for z/OS.
- For z/OS, Release 1, and OS/390: FMID HUNI2A0 must be installed and configured on your target system. Unicode Conversion Services (HUNI2A0) is a base element of OS/390 and is being delivered through the Web. It can be downloaded from www.ibm.com/downloads.

Support for DB2 integrated coprocessor requires:

- DB2 Universal Database for z/OS, Version 8 (5625-DB2)
- DB2 Universal Database, Version 7 (5675-DB2)
- Use of Unicode in DB2 COBOL applications running with DB2, Version 7 requires DB2 APAR PQ61320

To debug Enterprise COBOL code, you must use:

- Debug Tool for z/OS, Version 4 Release 1 (5655-L24)
- Debug Tool for z/OS and OS/390, Version 3 Release 1 (5655-H32)

For sorting and merging, you must use the following feature of z/OS and OS/390 or an equivalent product:

- DFSORT, Release 14 (5740-SM1)

Support for the integrated CICS translator requires:

- CICS Transaction Server for z/OS, Version 2 (5697-E93)

Programs with Report Writer statements require:

- COBOL Report Writer, Release 4 (5798-DYR, 5798-DZX)

Support for the execution of mixed Java and COBOL applications execution in IMS Java dependent regions requires one of the following:

- IMS, Version 8 (5655-C56)
- IMS, Version 7 (5655-B01) with PTFs for APARs PQ53944 and PQ54039

For C/C++ with Enterprise COBOL, you must use the C/C++ feature of z/OS and OS/390.

Optional licensed programs for OS/390 and z/OS

If you use the following programs with Enterprise COBOL, you must use the minimum release or later as stated below:

- CICS Transaction Server for z/OS, Version 2 (5697-E93)
- CICS Transaction Server for OS/390, Release 3 (5655-147)
- DB2 Universal Database for OS/390, Version 6 (5645-DB2)
- DB2 Universal Database for OS/390 and z/OS, Version 7 (5675-DB2)
- DB2 Universal Database for z/OS, Version 8 (5625-DB2)
- Debug Tool Utilities and Advanced Functions for z/OS and OS/390, Version 3 Release 1 (5655-J18)
- Debug Tool Utilities and Advanced Functions for z/OS, Version 4 Release 1 (5655-L23)
- High Level Assembler MVS & VM & VSE, Release 4 (5696-234)
- IBM COBOL Report Writer Precompiler, Release 4 (5798-DYR)
- IMS, Version 7 (5655-B01)
- PL/I for MVS & VM, Release 1.1 (5688-235)
- Enterprise PL/I for z/OS and OS/390, Version 3 Release 1 (5655-H31)
- VS FORTRAN, Version 2 Release 6 (5668-806, 5668-087)

Industry standards

Enterprise COBOL supports the following industry standards.

ISO standards

ISO 1989:1985, Programming Languages - COBOL.

ISO/IEC 1989/AMD1:1992, Programming Languages - COBOL: Intrinsic Function Module.

ISO/IEC 1989/AMD2: 1994, Programming Languages - COBOL: Correction and Clarification Amendment for COBOL.

ISO 1989:1985 is identical to ANSI INCITS 23-1985, Programming Languages - COBOL.

ISO/IEC 1989/AMD1:1992 is identical to ANSI INCITS 23b-1989, Programming Languages - Intrinsic Function Module for COBOL.

ISO/IEC 1989/AMD2:1994 is identical to ANSI INCITS 23b-1993, Programming Language - Correction Amendment for COBOL.

For supported modules, see American National Standards below.

International Reference Version of the ISO 7-bit code defined in *International Standard 646, 7-Bit Coded Character Set for Information Processing Interchange*.

American National standards

ANSI INCITS 23-1985, Programming Languages - COBOL.

ANSI INCITS 23a-1989, Programming Languages - Intrinsic Function Module for COBOL.

ANSI INCITS 23b-1993, Programming Language - Correction Amendment for COBOL.

The 7-bit coded character sets defined in American National Standard X3.4-1977, Code for Information Interchange.

All required modules are supported at the highest level defined by the standard. In the following list, the shorthand notation for describing module levels is shown in parentheses. For example, to summarize module information for sequential input and output, the shorthand notation is (2 SEQ 1,2). The first digit indicates the level of language elements within the module supported by Enterprise COBOL. Next is the three-character abbreviation of the module name as used in the

standard. Finally, the two digits separated by a comma indicate the minimum and maximum levels of the module. For example, (2 SEQ 1,2) means that Enterprise COBOL supports the sequential I-O module at level 2, while the range of levels in the module is from 1 (minimum) to 2 (maximum).

- Nucleus (2 NUC 1,2)

Provides internal processing of data within the four basic divisions of a program and the capability for defining and accessing tables.

- Sequential I-O (2 SEQ 1,2)

Provides access to records of a file in established sequence. The sequence is established as a result of writing the records to the file.

- Relative I-O (2 REL 0,2)

Provides access to records in either a random or sequential manner. Each record is uniquely identified by an integer specifying the record's logical position in a file.

- Indexed I-O (2 INX 0,2)

Provides access to records in either a random or sequential manner. Each record in an indexed file is uniquely identified by the value of a key within that record.

- Sort-Merge (1 SRT 0,1)

Orders one or more files of records, or combines two or more identically ordered files of records, according to a set of user-specified keys.

- Inter-Program Communication (2 IPC 1,2)

Allows a COBOL program to communicate with other programs through transfers of control and access to common data items.

- Source Text Manipulation (2 STM 0,2)

Allows the insertion of source program text as part of the compilation of the source program. COBOL libraries contain texts which are available to the compiler at compile time and which can be treated by the compiler as part of the source program.

In addition, the following optional modules of the standard are supported:

- Intrinsic Functions (1 ITR 0,1)

Provides the capability to reference a data item whose value is derived automatically at the time of reference during the execution of the object program.

- Debug (1 DEB 0,2)

Monitors object program execution through declarative procedures, special debugging lines, and a special register, DEBUG-ITEM, which gives specific information about execution status.

- Segmentation (2 SEG 0,2)

Refreshes independent segments when required.

The following optional module of the standard is supported with the optional IBM COBOL Report Writer Precompiler (5798-DYR):

- Report Writer

The following optional modules of the standard are not supported:

- Communications
- Debug (2 DEB 0,2)

Restrictions: Enterprise COBOL has the following restrictions related to industry standards:

- OPEN EXTEND is not supported for ASCII encoded tapes (CODESET STANDARD-1 or STANDARD-2).
- When division by zero occurs in an arithmetic expression and an ON SIZE ERROR phrase is not specified, processing abnormally terminates.

Compatibility features

Compatibility with Enterprise COBOL for z/OS and OS/390, Version 3 Release 1 and Release 2

Enterprise COBOL is fully source and object compatible with Enterprise COBOL for z/OS and OS/390, Version 3 Release 1 and Release 2.

Compatibility with COBOL for OS/390 & VM, Version 2 Release 2

Enterprise COBOL is fully source and object compatible with COBOL for OS/390 & VM Version 2 Release 2 except in the following cases:

- CMPR2 compiler option has been removed.
- There are new reserved words: EXECUTE, FACTORY, FUNCTION-POINTER, JNIENVPTR, XML, END-XML, XML-EVENT, XML-CODE, XML-TEXT, and XML-NTEXT.

- SOM-based object-oriented COBOL is no longer supported.

Compatibility with COBOL for OS/390 & VM, Version 2 Release 1

Enterprise COBOL is fully source and object compatible with COBOL for OS/390 & VM Version 2 Release 1 except in the following cases:

- CMPR2 compiler option has been removed.
- There are new reserved words: COMP-5, COMPUTATIONAL-5, EXEC, EXECUTE, END-EXEC, FACTORY, FUNCTION-POINTER, JNIENVPTR, XML, END-XML, XML-EVENT, XML-CODE, XML-TEXT, and XML-NTEXT.
- The behavior of the TRUNC(BIN) option has changed for unsigned binary fields that contain values larger than the corresponding signed binary field could have contained.
- SOM-based object-oriented COBOL is no longer supported.

Link-editing requirements

If any part of a load module is compiled with Enterprise COBOL, the load module must be linked with the OS/390 Language Environment or z/OS Language Environment. With Enterprise COBOL, relinked load modules are not self-contained.

Debugging considerations

Programs that are compiled with Enterprise COBOL can be debugged using Debug Tool, Version 4 Release 1, which is included with Enterprise COBOL if you order the Full Function offering. Enterprise COBOL and Language Environment do not support COBTEST or TESTCOB.

Debug Tool can also be used to debug programs that have been compiled with the TEST option using:

- VS COBOL II (Release 3 and Release 4 only) running under Language Environment
- COBOL/370
- IBM COBOL for MVS & VM
- IBM COBOL for OS/390 & VM

Licensed program materials availability

Restricted materials - No. This licensed program is available without source licensed program materials. It is available in object code only.

Supplemental terms

Designated machine identification

Designated Machine Identification Required - Yes.

Testing period

- Basic License: Not applicable.
- DSLO License: Not applicable.

Installation or location license

Not applicable. A separate license is required for each machine on which the licensed program will be used.

Usage restriction

Not applicable.

Type and duration of program services

- Central Service.
- Until discontinued by IBM with a minimum of six months' written notice.

Authorization for copy and use on home or portable computer

Not applicable.

Softcopy publications

Enterprise COBOL licenses may include licensed publications in displayable or source form. Except as provided in this section, the terms and conditions of the license agreement with IBM apply to these publications and to any copies that are made from them.

The licensed publications may be used in displayable or source form on all machines designated for this program. The licensed publications may also be copied and used on other machines in support of authorized use of Enterprise COBOL.

To support authorized use of Enterprise COBOL, printed copies of the displayable or source material may be made if the copyright notice and any other legend of ownership is reproduced on each copy or partial copy.

Warranty

This program is warranted as specified in the IBM license.

Licensed Program Specifications may be updated from time to time and such updates may constitute a change in specifications.

For Distributed Systems License Option (DSLO) Licenses, warranty service, if any, will be provided only through the Basic License location.

Following the discontinuance of all program services, this program will be provided "As Is" as specified in the IBM license.


Trademarks

The following terms are trademarks of the IBM Corporation in the United States or other countries or both:

CICS
DB2
Debug Tool
DFSORT
IBM
IMS/ESA
Language Environment
OS/390
VisualAge
VM/ESA
z/OS
zSeries

Java and Java-based trademarks are trademarks of Sun Microsystems, Inc. in the United States, other countries, or both.

Unicode™ is a trademark of the Unicode® Consortium.



References in this publication to IBM products, program, or services do not imply that IBM intends to make these available in all countries in which IBM operates. Any reference to an IBM product, program, or service is not intended to state or imply that only IBM's product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any of IBM's intellectual property rights may be used instead of the IBM product, program, or service. Any other documentation with respect to this licensed program, including any documentation referenced herein, is provided for reference purposes only and does not extend or modify these specifications.

March 2004

Printed in U.S.A.



GC27-1411-02